

2023-02-23 09:53:18

Full thread dump OpenJDK 64-Bit Server VM (11.0.5+10 mixed mode):

Threads class SMR info:

```
_java_thread_list=0x00007f0600001eb0, length=16, elements={  
0x00007f064c018000, 0x00007f064c43f000, 0x00007f064c443000, 0x00007f064c455800,  
0x00007f064c457800, 0x00007f064c45a000, 0x00007f064c45c000, 0x00007f064c4f2800,  
0x00007f064c507800, 0x00007f064d0eb000, 0x00007f064d0ef800, 0x00007f064d0f6800,  
0x00007f064d109800, 0x00007f064d0f3800, 0x00007f064d139000, 0x00007f0600001000  
}
```

"main" #1 prio=5 os_prio=0 cpu=982.29ms elapsed=295.73s tid=0x00007f064c018000 nid=0x6b02
waiting for monitor entry [0x00007f0653467000]

java.lang.Thread.State: BLOCKED (on object monitor)

at

jdk.internal.logger.LoggerFinderLoader.service(java.base@11.0.5/LoggerFinderLoader.java:72)

- waiting to lock <0x00000000be203c48> (a [I])

at

jdk.internal.logger.LoggerFinderLoader.getLoggerFinder(java.base@11.0.5/LoggerFinderLoader.java:206)

at

java.lang.System\$LoggerFinder.lambda\$accessProvider\$0(java.base@11.0.5/System.java:1608)

at

java.lang.System\$LoggerFinder\$\$Lambda\$46/0x00000001001a1c40.run(java.base@11.0.5/Unknown Source)

at java.security.AccessController.doPrivileged(java.base@11.0.5/Native Method)

at java.security.AccessController.doPrivileged(java.base@11.0.5/AccessController.java:430)

at java.lang.System\$LoggerFinder.accessProvider(java.base@11.0.5/System.java:1609)

at java.lang.System\$LoggerFinder.getLoggerFinder(java.base@11.0.5/System.java:1597)

at

jdk.internal.logger.LazyLoggers.accessLoggerFinder(java.base@11.0.5/LazyLoggers.java:339)

at

jdk.internal.logger.LazyLoggers.getLoggerFromFinder(java.base@11.0.5/LazyLoggers.java:389)

at jdk.internal.logger.LazyLoggers.getLazyLogger(java.base@11.0.5/LazyLoggers.java:444)

at jdk.internal.logger.LazyLoggers.getLogger(java.base@11.0.5/LazyLoggers.java:414)

at java.lang.System.getLogger(java.base@11.0.5/System.java:1659)

at jdk.internal.event.EventHelper.<clinit>(java.base@11.0.5/EventHelper.java:45)

at sun.security.provider.X509Factory.commitEvent(java.base@11.0.5/X509Factory.java:772)

at

sun.security.provider.X509Factory.engineGenerateCertificate(java.base@11.0.5/X509Factory.java:108)

at

java.security.cert.CertificateFactory.generateCertificate(java.base@11.0.5/CertificateFactory.java:355)

at sun.security.pkcs.PKCS7.parseSignedData(java.base@11.0.5/PKCS7.java:328)

at sun.security.pkcs.PKCS7.parse(java.base@11.0.5/PKCS7.java:186)

at sun.security.pkcs.PKCS7.parse(java.base@11.0.5/PKCS7.java:154)
at sun.security.pkcs.PKCS7.<init>(java.base@11.0.5/PKCS7.java:136)
at
sun.security.util.SignatureFileVerifier.<init>(java.base@11.0.5/SignatureFileVerifier.java:127)
at java.util.jar.JarVerifier.processEntry(java.base@11.0.5/JarVerifier.java:297)
at java.util.jar.JarVerifier.update(java.base@11.0.5/JarVerifier.java:230)
at java.util.jar.JarFile.initializeVerifier(java.base@11.0.5/JarFile.java:757)
at java.util.jar.JarFile.ensureInitialization(java.base@11.0.5/JarFile.java:1034)
- locked <0x00000000806af5c0> (a java.util.jar.JarFile)
at
java.util.jar.JavaUtilJarAccessImpl.ensureInitialization(java.base@11.0.5/JavaUtilJarAccessImpl.java:69)
at
jdk.internal.loader.URLClassPath\$JarLoader\$2.getManifest(java.base@11.0.5/URLClassPath.java:870)
at
jdk.internal.loader.BuiltinClassLoader.defineClass(java.base@11.0.5/BuiltinClassLoader.java:786)
at
jdk.internal.loader.BuiltinClassLoader.findClassOnClassPathOrNull(java.base@11.0.5/BuiltinClassLoader.java:698)
at
jdk.internal.loader.BuiltinClassLoader.loadClassOrNull(java.base@11.0.5/BuiltinClassLoader.java:621)
- locked <0x00000000be3ff8a0> (a java.lang.Object)
at
jdk.internal.loader.BuiltinClassLoader.loadClass(java.base@11.0.5/BuiltinClassLoader.java:579)
at
jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(java.base@11.0.5/ClassLoaders.java:178)
at java.lang.ClassLoader.loadClass(java.base@11.0.5/ClassLoader.java:521)
at
com.google.gwt.dev.javac.CompilationStateBuilder.doBuildFrom(CompilationStateBuilder.java:488)
- locked <0x00000000be3eb690> (a com.google.gwt.dev.javac.CompilationStateBuilder)
at
com.google.gwt.dev.javac.CompilationStateBuilder.buildFrom(CompilationStateBuilder.java:464)
at com.google.gwt.dev.cfg.ModuleDef.getCompilationState(ModuleDef.java:423)
at com.google.gwt.dev.Precompile.precompile(Precompile.java:210)
at com.google.gwt.dev.Precompile.precompile(Precompile.java:190)
at com.google.gwt.dev.Precompile.precompile(Precompile.java:131)
at com.google.gwt.dev.Compiler.compile(Compiler.java:192)
at com.google.gwt.dev.Compiler.compile(Compiler.java:143)
at com.google.gwt.dev.Compiler.compile(Compiler.java:132)
at com.google.gwt.dev.Compiler\$1.run(Compiler.java:110)
at com.google.gwt.dev.CompileTaskRunner.doRun(CompileTaskRunner.java:55)
at
com.google.gwt.dev.CompileTaskRunner.runWithAppropriateLogger(CompileTaskRunner.java:50)

at com.google.gwt.dev.Compiler.main(Compiler.java:113)

Locked ownable synchronizers:

- None

"Reference Handler" #2 daemon prio=10 os_prio=0 cpu=0.50ms elapsed=295.67s
tid=0x00007f064c43f000 nid=0x6b09 waiting on condition [0x00007f061b6fc000]
java.lang.Thread.State: RUNNABLE
at java.lang.ref.Reference.waitForReferencePendingList(java.base@11.0.5/Native Method)
at
java.lang.ref.Reference.processPendingReferences(java.base@11.0.5/Reference.java:241)
at java.lang.ref.Reference\$ReferenceHandler.run(java.base@11.0.5/Reference.java:213)

Locked ownable synchronizers:

- None

"Finalizer" #3 daemon prio=8 os_prio=0 cpu=0.36ms elapsed=295.67s tid=0x00007f064c443000
nid=0x6b0a in Object.wait() [0x00007f061b5fb000]
java.lang.Thread.State: WAITING (on object monitor)
at java.lang.Object.wait(java.base@11.0.5/Native Method)
- waiting on <0x000000008070c5b0> (a java.lang.ref.ReferenceQueue\$Lock)
at java.lang.ref.ReferenceQueue.remove(java.base@11.0.5/ReferenceQueue.java:155)
- waiting to re-lock in wait() <0x000000008070c5b0> (a java.lang.ref.ReferenceQueue\$Lock)
at java.lang.ref.ReferenceQueue.remove(java.base@11.0.5/ReferenceQueue.java:176)
at java.lang.ref.Finalizer\$FinalizerThread.run(java.base@11.0.5/Finalizer.java:170)

Locked ownable synchronizers:

- None

"Signal Dispatcher" #4 daemon prio=9 os_prio=0 cpu=0.22ms elapsed=295.67s
tid=0x00007f064c455800 nid=0x6b0b runnable [0x0000000000000000]
java.lang.Thread.State: RUNNABLE

Locked ownable synchronizers:

- None

"C2 CompilerThread0" #5 daemon prio=9 os_prio=0 cpu=712.49ms elapsed=295.67s
tid=0x00007f064c457800 nid=0x6b0c waiting on condition [0x0000000000000000]
java.lang.Thread.State: RUNNABLE
No compile task

Locked ownable synchronizers:

- None

"C1 CompilerThread0" #8 daemon prio=9 os_prio=0 cpu=432.95ms elapsed=295.67s
tid=0x00007f064c45a000 nid=0x6b0d waiting on condition [0x0000000000000000]

java.lang.Thread.State: RUNNABLE
No compile task

Locked ownable synchronizers:
- None

"Sweeper thread" #9 daemon prio=9 os_prio=0 cpu=18.57ms elapsed=295.67s
tid=0x00007f064c45c000 nid=0x6b0e runnable [0x0000000000000000]
java.lang.Thread.State: RUNNABLE

Locked ownable synchronizers:
- None

"Service Thread" #10 daemon prio=9 os_prio=0 cpu=0.11ms elapsed=295.64s
tid=0x00007f064c4f2800 nid=0x6b0f runnable [0x0000000000000000]
java.lang.Thread.State: RUNNABLE

Locked ownable synchronizers:
- None

"Common-Cleaner" #11 daemon prio=8 os_prio=0 cpu=0.97ms elapsed=295.64s
tid=0x00007f064c507800 nid=0x6b11 in Object.wait() [0x00007f061ac14000]
java.lang.Thread.State: TIMED_WAITING (on object monitor)
at java.lang.Object.wait(java.base@11.0.5/Native Method)
- waiting on <0x000000008070d1e8> (a java.lang.ref.ReferenceQueue\$Lock)
at java.lang.ref.ReferenceQueue.remove(java.base@11.0.5/ReferenceQueue.java:155)
- waiting to re-lock in wait() <0x000000008070d1e8> (a java.lang.ref.ReferenceQueue\$Lock)
at jdk.internal.ref.CleanerImpl.run(java.base@11.0.5/CleanerImpl.java:148)
at java.lang.Thread.run(java.base@11.0.5/Thread.java:834)
at jdk.internal.misc.InnocuousThread.run(java.base@11.0.5/InnocuousThread.java:134)

Locked ownable synchronizers:
- None

"pool-1-thread-1" #14 prio=5 os_prio=0 cpu=1.21ms elapsed=295.07s tid=0x00007f064d0eb000
nid=0x6b1b waiting on condition [0x00007f06199da000]
java.lang.Thread.State: WAITING (parking)
at jdk.internal.misc.Unsafe.park(java.base@11.0.5/Native Method)
- parking to wait for <0x0000000081f56348> (a
java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject)
at java.util.concurrent.locks.LockSupport.park(java.base@11.0.5/LockSupport.java:194)
at
java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject.await(java.base@11.0.5/AbstractQueuedSynchronizer.java:2081)
at
java.util.concurrent.LinkedBlockingQueue.take(java.base@11.0.5/LinkedBlockingQueue.java:433)

```
    at
java.util.concurrent.ThreadPoolExecutor.getTask(java.base@11.0.5/ThreadPoolExecutor.java:1054)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(java.base@11.0.5/ThreadPoolExecutor.java:1114)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(java.base@11.0.5/ThreadPoolExecutor.java:628)
    at java.lang.Thread.run(java.base@11.0.5/Thread.java:834)
```

Locked ownable synchronizers:

- None

```
"Thread-1" #15 prio=5 os_prio=0 cpu=998.24ms elapsed=294.87s tid=0x00007f064d0ef800
nid=0x6b1f sleeping [0x00007f06193d3000]
```

```
  java.lang.Thread.State: TIMED_WAITING (sleeping)
    at java.lang.Thread.sleep(java.base@11.0.5/Native Method)
    at
```

```
com.google.gwt.dev.resource.impl.ResourceAccumulatorManager$1.run(ResourceAccumulatorManager.java:92)
```

Locked ownable synchronizers:

- None

```
"FileSystemWatchService" #16 daemon prio=5 os_prio=0 cpu=0.74ms elapsed=294.87s
tid=0x00007f064d0f6800 nid=0x6b20 runnable [0x00007f06192d2000]
```

```
  java.lang.Thread.State: RUNNABLE
    at sun.nio.fs.LinuxWatchService.poll(java.base@11.0.5/Native Method)
    at sun.nio.fs.LinuxWatchService$Poller.run(java.base@11.0.5/LinuxWatchService.java:316)
    at java.lang.Thread.run(java.base@11.0.5/Thread.java:834)
```

Locked ownable synchronizers:

- None

```
"FileSystemWatchService" #17 daemon prio=5 os_prio=0 cpu=1.30ms elapsed=294.82s
tid=0x00007f064d109800 nid=0x6b23 runnable [0x00007f06191d1000]
```

```
  java.lang.Thread.State: RUNNABLE
    at sun.nio.fs.LinuxWatchService.poll(java.base@11.0.5/Native Method)
    at sun.nio.fs.LinuxWatchService$Poller.run(java.base@11.0.5/LinuxWatchService.java:316)
    at java.lang.Thread.run(java.base@11.0.5/Thread.java:834)
```

Locked ownable synchronizers:

- None

```
"FileSystemWatchService" #18 daemon prio=5 os_prio=0 cpu=1.48ms elapsed=294.75s
tid=0x00007f064d0f3800 nid=0x6b24 runnable [0x00007f06190d0000]
```

```
java.lang.Thread.State: RUNNABLE
    at sun.nio.fs.LinuxWatchService.poll(java.base@11.0.5/Native Method)
    at sun.nio.fs.LinuxWatchService$Poller.run(java.base@11.0.5/LinuxWatchService.java:316)
    at java.lang.Thread.run(java.base@11.0.5/Thread.java:834)
```

```
Locked ownable synchronizers:
- None
```

```
"Thread-2" #19 daemon prio=5 os_prio=0 cpu=7.85ms elapsed=294.72s tid=0x00007f064d139000
nid=0x6b25 waiting for monitor entry [0x00007f0618af4000]
java.lang.Thread.State: BLOCKED (on object monitor)
    at java.util.zip.ZipFile.getEntry(java.base@11.0.5/ZipFile.java:346)
    - waiting to lock <0x00000000806af5c0> (a java.util.jar.JarFile)
    at java.util.zip.ZipFile$1.getEntry(java.base@11.0.5/ZipFile.java:1121)
    at java.util.jar.JarFile.getEntry0(java.base@11.0.5/JarFile.java:576)
    at java.util.jar.JarFile.getEntry(java.base@11.0.5/JarFile.java:506)
    at java.util.jar.JarFile.getJarEntry(java.base@11.0.5/JarFile.java:468)
    at
jdk.internal.loader.URLClassPath$JarLoader.getResource(java.base@11.0.5/URLClassPath.java:92
9)
    at
jdk.internal.loader.URLClassPath$JarLoader.findResource(java.base@11.0.5/URLClassPath.java:91
2)
    at jdk.internal.loader.URLClassPath$1.next(java.base@11.0.5/URLClassPath.java:341)
    at
jdk.internal.loader.URLClassPath$1.hasMoreElements(java.base@11.0.5/URLClassPath.java:351)
    at
jdk.internal.loader.BuiltinClassLoader$1.hasNext(java.base@11.0.5/BuiltinClassLoader.java:355)
    at
jdk.internal.loader.BuiltinClassLoader$1.hasMoreElements(java.base@11.0.5/BuiltinClassLoader.jav
a:363)
    at java.lang.CompoundEnumeration.next(java.base@11.0.5/ClassLoader.java:3022)
    at
java.lang.CompoundEnumeration.hasMoreElements(java.base@11.0.5/ClassLoader.java:3031)
    at
java.util.ServiceLoader$LazyClassPathLookupIterator.nextProviderClass(java.base@11.0.5/Service
Loader.java:1202)
    at
java.util.ServiceLoader$LazyClassPathLookupIterator.hasNextService(java.base@11.0.5/ServiceLo
ader.java:1220)
    at
java.util.ServiceLoader$LazyClassPathLookupIterator.hasNext(java.base@11.0.5/ServiceLoader.jav
a:1264)
    at java.util.ServiceLoader$2.hasNext(java.base@11.0.5/ServiceLoader.java:1299)
    at java.util.ServiceLoader$3.hasNext(java.base@11.0.5/ServiceLoader.java:1384)
```

```
    at
jdk.internal.logger.LoggerFinderLoader.loadLoggerFinder(java.base@11.0.5/LoggerFinderLoader.java:127)
    at
jdk.internal.logger.LoggerFinderLoader.service(java.base@11.0.5/LoggerFinderLoader.java:73)
    - locked <0x00000000be203c48> (a [I)
    at
jdk.internal.logger.LoggerFinderLoader.getLoggerFinder(java.base@11.0.5/LoggerFinderLoader.java:206)
    at
java.lang.System$LoggerFinder.lambda$accessProvider$0(java.base@11.0.5/System.java:1608)
    at
java.lang.System$LoggerFinder$$Lambda$46/0x00000001001a1c40.run(java.base@11.0.5/Unknown Source)
    at java.security.AccessController.doPrivileged(java.base@11.0.5/Native Method)
    at java.security.AccessController.doPrivileged(java.base@11.0.5/AccessController.java:430)
    at java.lang.System$LoggerFinder.accessProvider(java.base@11.0.5/System.java:1609)
    at java.lang.System$LoggerFinder.getLoggerFinder(java.base@11.0.5/System.java:1597)
    at
jdk.internal.logger.LazyLoggers.accessLoggerFinder(java.base@11.0.5/LazyLoggers.java:339)
    at
jdk.internal.logger.LazyLoggers.getLoggerFromFinder(java.base@11.0.5/LazyLoggers.java:389)
    at jdk.internal.logger.LazyLoggers.getLazyLogger(java.base@11.0.5/LazyLoggers.java:444)
    at sun.util.logging.PlatformLogger.getLogger(java.base@11.0.5/PlatformLogger.java:297)
    - locked <0x00000000be200f78> (a java.lang.Class for sun.util.logging.PlatformLogger)
    at
sun.awt.X11GraphicsEnvironment.<clinit>(java.desktop@11.0.5/X11GraphicsEnvironment.java:55)
    at java.lang.Class.forName0(java.base@11.0.5/Native Method)
    at java.lang.Class.forName(java.base@11.0.5/Class.java:315)
    at
java.awt.GraphicsEnvironment$LocalGE.createGE(java.desktop@11.0.5/GraphicsEnvironment.java:101)
    at
java.awt.GraphicsEnvironment$LocalGE.<clinit>(java.desktop@11.0.5/GraphicsEnvironment.java:83)
    )
    at
java.awt.GraphicsEnvironment.getLocalGraphicsEnvironment(java.desktop@11.0.5/GraphicsEnvironment.java:129)
    at com.google.gwt.dev.GraphicsInitThread.run(GraphicsInitThread.java:39)
```

Locked ownable synchronizers:

- None

```
"Attach Listener" #20 daemon prio=9 os_prio=0 cpu=0.16ms elapsed=0.22s
tid=0x00007f0600001000 nid=0x7dfa waiting on condition [0x0000000000000000]
    java.lang.Thread.State: RUNNABLE
```

Locked ownable synchronizers:

- None

"VM Thread" os_prio=0 cpu=38.23ms elapsed=295.68s tid=0x00007f064c437000 nid=0x6b08
runnable

"GC Thread#0" os_prio=0 cpu=35.80ms elapsed=295.73s tid=0x00007f064c042800 nid=0x6b03
runnable

"GC Thread#1" os_prio=0 cpu=25.01ms elapsed=295.20s tid=0x00007f0610001000 nid=0x6b14
runnable

"GC Thread#2" os_prio=0 cpu=36.57ms elapsed=295.20s tid=0x00007f0610002800 nid=0x6b15
runnable

"GC Thread#3" os_prio=0 cpu=34.94ms elapsed=295.20s tid=0x00007f0610004000 nid=0x6b16
runnable

"GC Thread#4" os_prio=0 cpu=44.77ms elapsed=295.20s tid=0x00007f0610005800 nid=0x6b17
runnable

"GC Thread#5" os_prio=0 cpu=19.69ms elapsed=295.20s tid=0x00007f0610007000 nid=0x6b18
runnable

"GC Thread#6" os_prio=0 cpu=23.27ms elapsed=295.20s tid=0x00007f0610008800 nid=0x6b19
runnable

"GC Thread#7" os_prio=0 cpu=30.01ms elapsed=295.20s tid=0x00007f061000a800 nid=0x6b1a
runnable

"G1 Main Marker" os_prio=0 cpu=1.75ms elapsed=295.73s tid=0x00007f064c075000 nid=0x6b04
runnable

"G1 Conc#0" os_prio=0 cpu=0.21ms elapsed=295.73s tid=0x00007f064c077000 nid=0x6b05
runnable

"G1 Refine#0" os_prio=0 cpu=8.38ms elapsed=295.70s tid=0x00007f064c3d3800 nid=0x6b06
runnable

"G1 Refine#1" os_prio=0 cpu=5.51ms elapsed=294.94s tid=0x00007f0620001000 nid=0x6b1c
runnable

"G1 Refine#2" os_prio=0 cpu=1.15ms elapsed=294.94s tid=0x00007f05c4001000 nid=0x6b1d
runnable

"G1 Refine#3" os_prio=0 cpu=0.32ms elapsed=294.94s tid=0x00007f05b8001000 nid=0x6b1e
runnable

"G1 Young RemSet Sampling" os_prio=0 cpu=54.56ms elapsed=295.70s tid=0x00007f064c3d5800
nid=0x6b07 runnable

"VM Periodic Task Thread" os_prio=0 cpu=180.01ms elapsed=295.64s tid=0x00007f064c4f5000
nid=0x6b10 waiting on condition

JNI global refs: 9, weak refs: 0

Found one Java-level deadlock:

=====

"main":

waiting to lock monitor 0x00007f064d100c00 (object 0x00000000be203c48, a [I],
which is held by "Thread-2"

"Thread-2":

waiting to lock monitor 0x00007f064d0fdb00 (object 0x00000000806af5c0, a java.util.jar.JarFile),
which is held by "main"

Java stack information for the threads listed above:

=====

"main":

at
jdk.internal.logger.LoggerFinderLoader.service(java.base@11.0.5/LoggerFinderLoader.java:72)
- waiting to lock <0x00000000be203c48> (a [I])
at
jdk.internal.logger.LoggerFinderLoader.getLoggerFinder(java.base@11.0.5/LoggerFinderLoader.java
:206)
at
java.lang.System\$LoggerFinder.lambda\$accessProvider\$0(java.base@11.0.5/System.java:1608)
at
java.lang.System\$LoggerFinder\$\$Lambda\$46/0x00000001001a1c40.run(java.base@11.0.5/Unkno
wn Source)
at java.security.AccessController.doPrivileged(java.base@11.0.5/Native Method)
at java.security.AccessController.doPrivileged(java.base@11.0.5/AccessController.java:430)
at java.lang.System\$LoggerFinder.accessProvider(java.base@11.0.5/System.java:1609)
at java.lang.System\$LoggerFinder.getLoggerFinder(java.base@11.0.5/System.java:1597)
at
jdk.internal.logger.LazyLoggers.accessLoggerFinder(java.base@11.0.5/LazyLoggers.java:339)
at
jdk.internal.logger.LazyLoggers.getLoggerFromFinder(java.base@11.0.5/LazyLoggers.java:389)
at jdk.internal.logger.LazyLoggers.getLazyLogger(java.base@11.0.5/LazyLoggers.java:444)
at jdk.internal.logger.LazyLoggers.getLogger(java.base@11.0.5/LazyLoggers.java:414)
at java.lang.System.getLogger(java.base@11.0.5/System.java:1659)
at jdk.internal.event.EventHelper.<clinit>(java.base@11.0.5/EventHelper.java:45)

at sun.security.provider.X509Factory.commitEvent(java.base@11.0.5/X509Factory.java:772)
at
sun.security.provider.X509Factory.engineGenerateCertificate(java.base@11.0.5/X509Factory.java:108)
at
java.security.cert.CertificateFactory.generateCertificate(java.base@11.0.5/CertificateFactory.java:355)
at sun.security.pkcs.PKCS7.parseSignedData(java.base@11.0.5/PKCS7.java:328)
at sun.security.pkcs.PKCS7.parse(java.base@11.0.5/PKCS7.java:186)
at sun.security.pkcs.PKCS7.parse(java.base@11.0.5/PKCS7.java:154)
at sun.security.pkcs.PKCS7.<init>(java.base@11.0.5/PKCS7.java:136)
at
sun.security.util.SignatureFileVerifier.<init>(java.base@11.0.5/SignatureFileVerifier.java:127)
at java.util.jar.JarVerifier.processEntry(java.base@11.0.5/JarVerifier.java:297)
at java.util.jar.JarVerifier.update(java.base@11.0.5/JarVerifier.java:230)
at java.util.jar.JarFile.initializeVerifier(java.base@11.0.5/JarFile.java:757)
at java.util.jar.JarFile.ensureInitialization(java.base@11.0.5/JarFile.java:1034)
- locked <0x00000000806af5c0> (a java.util.jar.JarFile)
at
java.util.jar.JavaUtilJarAccessImpl.ensureInitialization(java.base@11.0.5/JavaUtilJarAccessImpl.java:69)
at
jdk.internal.loader.URLClassPath\$JarLoader\$2.getManifest(java.base@11.0.5/URLClassPath.java:870)
at
jdk.internal.loader.BuiltinClassLoader.defineClass(java.base@11.0.5/BuiltinClassLoader.java:786)
at
jdk.internal.loader.BuiltinClassLoader.findClassOnClassPathOrNull(java.base@11.0.5/BuiltinClassLoader.java:698)
at
jdk.internal.loader.BuiltinClassLoader.loadClassOrNull(java.base@11.0.5/BuiltinClassLoader.java:621)
- locked <0x00000000be3ff8a0> (a java.lang.Object)
at
jdk.internal.loader.BuiltinClassLoader.loadClass(java.base@11.0.5/BuiltinClassLoader.java:579)
at
jdk.internal.loader.ClassLoaders\$AppClassLoader.loadClass(java.base@11.0.5/ClassLoaders.java:178)
at java.lang.ClassLoader.loadClass(java.base@11.0.5/ClassLoader.java:521)
at
com.google.gwt.dev.javac.CompilationStateBuilder.doBuildFrom(CompilationStateBuilder.java:488)
- locked <0x00000000be3eb690> (a com.google.gwt.dev.javac.CompilationStateBuilder)
at
com.google.gwt.dev.javac.CompilationStateBuilder.buildFrom(CompilationStateBuilder.java:464)
at com.google.gwt.dev.cfg.ModuleDef.getCompilationState(ModuleDef.java:423)
at com.google.gwt.dev.Precompile.precompile(Precompile.java:210)

```
at com.google.gwt.dev.Precompile.precompile(Precompile.java:190)
at com.google.gwt.dev.Precompile.precompile(Precompile.java:131)
at com.google.gwt.dev.Compiler.compile(Compiler.java:192)
at com.google.gwt.dev.Compiler.compile(Compiler.java:143)
at com.google.gwt.dev.Compiler.compile(Compiler.java:132)
at com.google.gwt.dev.Compiler$1.run(Compiler.java:110)
at com.google.gwt.dev.CompileTaskRunner.doRun(CompileTaskRunner.java:55)
at
com.google.gwt.dev.CompileTaskRunner.runWithAppropriateLogger(CompileTaskRunner.java:50)
at com.google.gwt.dev.Compiler.main(Compiler.java:113)
"Thread-2":
at java.util.zip.ZipFile.getEntry(java.base@11.0.5/ZipFile.java:346)
- waiting to lock <0x00000000806af5c0> (a java.util.jar.JarFile)
at java.util.zip.ZipFile$1.getEntry(java.base@11.0.5/ZipFile.java:1121)
at java.util.jar.JarFile.getEntry0(java.base@11.0.5/JarFile.java:576)
at java.util.jar.JarFile.getEntry(java.base@11.0.5/JarFile.java:506)
at java.util.jar.JarFile.getJarEntry(java.base@11.0.5/JarFile.java:468)
at
jdk.internal.loader.URLClassPath$JarLoader.getResource(java.base@11.0.5/URLClassPath.java:929)
at
jdk.internal.loader.URLClassPath$JarLoader.findResource(java.base@11.0.5/URLClassPath.java:912)
at jdk.internal.loader.URLClassPath$1.next(java.base@11.0.5/URLClassPath.java:341)
at
jdk.internal.loader.URLClassPath$1.hasMoreElements(java.base@11.0.5/URLClassPath.java:351)
at
jdk.internal.loader.BuiltinClassLoader$1.hasNext(java.base@11.0.5/BuiltinClassLoader.java:355)
at
jdk.internal.loader.BuiltinClassLoader$1.hasMoreElements(java.base@11.0.5/BuiltinClassLoader.java:363)
at java.lang.CompoundEnumeration.next(java.base@11.0.5/ClassLoader.java:3022)
at
java.lang.CompoundEnumeration.hasMoreElements(java.base@11.0.5/ClassLoader.java:3031)
at
java.util.ServiceLoader$LazyClassPathLookupIterator.nextProviderClass(java.base@11.0.5/ServiceLoader.java:1202)
at
java.util.ServiceLoader$LazyClassPathLookupIterator.hasNextService(java.base@11.0.5/ServiceLoader.java:1220)
at
java.util.ServiceLoader$LazyClassPathLookupIterator.hasNext(java.base@11.0.5/ServiceLoader.java:1264)
at java.util.ServiceLoader$2.hasNext(java.base@11.0.5/ServiceLoader.java:1299)
at java.util.ServiceLoader$3.hasNext(java.base@11.0.5/ServiceLoader.java:1384)
```

```

    at
jdk.internal.logger.LoggerFinderLoader.loadLoggerFinder(java.base@11.0.5/LoggerFinderLoader.java:127)
    at
jdk.internal.logger.LoggerFinderLoader.service(java.base@11.0.5/LoggerFinderLoader.java:73)
    - locked <0x00000000be203c48> (a [I)
    at
jdk.internal.logger.LoggerFinderLoader.getLoggerFinder(java.base@11.0.5/LoggerFinderLoader.java:206)
    at
java.lang.System$LoggerFinder.lambda$accessProvider$0(java.base@11.0.5/System.java:1608)
    at
java.lang.System$LoggerFinder$$Lambda$46/0x00000001001a1c40.run(java.base@11.0.5/Unknown Source)
    at java.security.AccessController.doPrivileged(java.base@11.0.5/Native Method)
    at java.security.AccessController.doPrivileged(java.base@11.0.5/AccessController.java:430)
    at java.lang.System$LoggerFinder.accessProvider(java.base@11.0.5/System.java:1609)
    at java.lang.System$LoggerFinder.getLoggerFinder(java.base@11.0.5/System.java:1597)
    at
jdk.internal.logger.LazyLoggers.accessLoggerFinder(java.base@11.0.5/LazyLoggers.java:339)
    at
jdk.internal.logger.LazyLoggers.getLoggerFromFinder(java.base@11.0.5/LazyLoggers.java:389)
    at jdk.internal.logger.LazyLoggers.getLazyLogger(java.base@11.0.5/LazyLoggers.java:444)
    at sun.util.logging.PlatformLogger.getLogger(java.base@11.0.5/PlatformLogger.java:297)
    - locked <0x00000000be200f78> (a java.lang.Class for sun.util.logging.PlatformLogger)
    at
sun.awt.X11GraphicsEnvironment.<clinit>(java.desktop@11.0.5/X11GraphicsEnvironment.java:55)
    at java.lang.Class.forName0(java.base@11.0.5/Native Method)
    at java.lang.Class.forName(java.base@11.0.5/Class.java:315)
    at
java.awt.GraphicsEnvironment$LocalGE.createGE(java.desktop@11.0.5/GraphicsEnvironment.java:101)
    at
java.awt.GraphicsEnvironment$LocalGE.<clinit>(java.desktop@11.0.5/GraphicsEnvironment.java:83)
    )
    at
java.awt.GraphicsEnvironment.getLocalGraphicsEnvironment(java.desktop@11.0.5/GraphicsEnvironment.java:129)
    at com.google.gwt.dev.GraphicsInitThread.run(GraphicsInitThread.java:39)

```

Found 1 deadlock.