

Under the title :

Update of the expertise relative to radiofrequencies
Rapport (of 469 pages)
collective expertise
October 2009

Afsset (French agency of sanitary security of environment and work) wrote, under point 4.4.1.2 **Effect on oxidative stress and free radicals production.**

It is based on 13 studies only. Strangely, under my own database on scientific papers about oxidative stress, not exhaustive, **at least 25 studies are missing in the bibliography of the Afsset rapport, only concerning oxidative stress relative to EMF.** Without taking in account studies relative on biological consequences of oxidative stress.

Philippe Hug comments, December 8, 2009 :

Here under are the scientific papers of my own database.

Studies in green (9) are cited in the Afsset rapport (I have 9 of the 13).

Studies in red (25) ARE NOT cited in the Afsset rapport.

<http://www.ncbi.nlm.nih.gov/pubmed/17579989>

Reprod Biomed Online. 2007 Jun;14(6):727-33.

Origins and consequences of DNA damage in male germ cells.

Aitken RJ, De Iuliis GN.

ARC Centre of Excellence in Biotechnology and Development and Discipline of Biological Sciences, University of Newcastle, NSW 2308, Australia. jaitken@mail.newcastle.edu.au

<http://www.ncbi.nlm.nih.gov/pubmed/15729859>

J Dermatol. 2004 Nov;31(11):878-83.

Oxidative stress-mediated skin damage in an experimental mobile phone model can be prevented by melatonin.

Ayata A, Mollaoglu H, Yilmaz HR, Akturk O, Ozguner E, Altuntas I.

Department of Pediatrics, Faculty of Medicine, Suleyman Demirel University, Isparta, Turkey.

<http://www.ncbi.nlm.nih.gov/pubmed/19649291>

PLoS One. 2009 Jul 31;4(7):e6446.

Mobile phone radiation induces reactive oxygen species production and DNA damage in human spermatozoa in vitro.

De Iuliis GN, Newey RJ, King BV, Aitken RJ.

ARC Centre of Excellence in Biotechnology and Development, Callaghan, New South Wales, Australia.

<http://www.ncbi.nlm.nih.gov/pubmed/19479910>

Bioelectromagnetics. 2009 May 28. [Epub ahead of print]

Effect of radiofrequency electromagnetic field exposure on in vitro models of neurodegenerative disease.

Del Vecchio G, Giuliani A, Fernandez M, Mesirca P, Bersani F, Pinto R, Ardoino L, Lovisolo GA, Giardino L, Calzaà L.

Department of Veterinary Morphophysiology and Animal Production (DIMORFIPA), Bologna University, Bologna, Italy.

<http://www.ncbi.nlm.nih.gov/pubmed/19086584>

[Pak J Biol Sci.](#) 2007 Dec 1;10(23):4271-4.

Effects of electromagnetic field produced by mobile phones on the oxidant and antioxidant status of rats.

[Elhag MA](#), [Nabil GM](#), [Attia AM](#).

Department of Biophysics, Faculty of Science, Cairo University, Egypt.

<http://www.ncbi.nlm.nih.gov/pubmed/18367817>

[J Radiat Res \(Tokyo\)](#). 2008 Mar;49(2):181-7.

Effects of long-term exposure of extremely low frequency magnetic field on oxidative/nitrosative stress in rat liver.

[Erdal N](#), [Gürgül S](#), [Tamer L](#), [Ayaz L](#).

Department of Biophysics, Faculty of Medicine, Mersin University, Turkey. nerdal@mersin.edu.tr

<http://www.ncbi.nlm.nih.gov/pubmed/16715528>

[Bioelectromagnetics](#). 2006 Sep;27(6):487-93.

Oxidative stress effects on the central nervous system of rats after acute exposure to ultra high frequency electromagnetic fields.

[Ferreira AR](#), [Bonatto F](#), [de Bittencourt Pasquali MA](#), [Polydoro M](#), [Dal-Pizzol F](#), [Fernandez C](#), [de Salles AA](#), [Moreira JC](#).

Departamento de Bioquímica, Centro de Estudos em Estresse Oxidativo, ICBS, Universidade Federal do Rio Grande do Sul, Porto Alegre, RS, Brazil. arferreira@yahoo.com

<http://www.ncbi.nlm.nih.gov/pubmed/18536493>

[Toxicol Ind Health](#). 2007 Aug;23(7):411-20.

900 MHz radiofrequency-induced histopathologic changes and oxidative stress in rat endometrium: protection by vitamins E and C.

[Güney M](#), [Ozguner F](#), [Oral B](#), [Karahan N](#), [Mungan T](#).

Department of Obstetrics and Gynecology, Faculty of Medicine, Suleyman Demirel University, Isparta, Turkey. mgüney@med.sdu.edu.tr

<http://www.ncbi.nlm.nih.gov/pubmed/16037959>

[Bioelectromagnetics](#). 2005 Oct;26(7):589-94.

Effects of a 50 Hz electric field on plasma lipid peroxide level and antioxidant activity in rats.

[Harakawa S](#), [Inoue N](#), [Hori T](#), [Tochio K](#), [Kariya T](#), [Takahashi K](#), [Doge F](#), [Suzuki H](#), [Nagasawa H](#).

National Research Center for Protozoan Diseases, Obihiro University of Agriculture and Veterinary Medicine, Obihiro, Japan. harakawa@bd5.so-net.ne.jp

<http://www.ncbi.nlm.nih.gov/pubmed/14734207>

[Clin Chim Acta](#). 2004 Feb;340(1-2):153-62.

Ginkgo biloba prevents mobile phone-induced oxidative stress in rat brain.

[Ilhan A](#), [Gurel A](#), [Armutcu F](#), [Kamisi S](#), [Iraz M](#), [Akyol O](#), [Ozen S](#).

Department of Neurology, Inonu University, Turgut Ozal Medical Center, 44069 Malatya, Turkey. ailhan@inonu.edu.tr

<http://www.ncbi.nlm.nih.gov/pubmed/12415560>

[Cell Biochem Funct](#). 2002 Dec;20(4):279-83.

Effects of electromagnetic radiation from a cellular telephone on the oxidant and antioxidant levels in rabbits.

[Irmak MK](#), [Fadillioglu E](#), [Gulec M](#), [Erdogan H](#), [Yagmurca M](#), [Akyol O](#).

Department of Biochemistry, Faculty of Medicine, Inonu University, 44069 Malatya, Turkey. mkirmak@yahoo.com

<http://www.ncbi.nlm.nih.gov/pubmed/16898263>

Toxicol Ind Health. 2006 Jun;22(5):211-6.

Melatonin modulates 900 Mhz microwave-induced lipid peroxidation changes in rat brain.

Koylu H, Mollaoglu H, Ozguner F, Nazyroglu M, Delibab N.

Department of Physiology, Faculty of Medicine, Suleyman Demirel University, 32260, Isparta, Turkey.

<http://www.ncbi.nlm.nih.gov/pubmed/14732250>

J Photochem Photobiol B. 2004 Jan 23;73(1-2):43-8.

Effects of extremely low frequency magnetic field on the antioxidant defense system in mouse brain: a chemiluminescence study.

Lee BC, Johng HM, Lim JK, Jeong JH, Baik KY, Nam TJ, Lee JH, Kim J, Sohn UD, Yoon G, Shin S, Soh KS.

School of Physics, College of Natural Sciences, Seoul National University, San 56-1, Shillim-dong, Kwanak-gu, Seoul 151-742, South Korea. donlee@phya.snu.ac.kr

<http://www.ncbi.nlm.nih.gov/pubmed/14694649>

Zhonghua Lao Dong Wei Sheng Zhi Ye Bing Za Zhi. 2002 Aug;20(4):263-5.

[Effects of extremely low frequency electromagnetic field and its combination with lead on the antioxidant system in mouse]

[Article in Chinese]

Liu Y, Weng E, Zhang Y, Hong R.

Department of Environmental Science, East China Normal University, Shanghai 200062, China.

<http://www.ncbi.nlm.nih.gov/pubmed/19578660>

Clinics (Sao Paulo). 2009;64(6):561-5.

Radio frequency electromagnetic radiation (RF-EMR) from GSM (0.9/1.8GHz) mobile phones induces oxidative stress and reduces sperm motility in rats.

Mailankot M, Kunnath AP, Jayalekshmi H, Koduru B, Valsalan R.

Department of Biochemistry, Melaka Manipal, Medical College, Manipal, India.

<http://www.ncbi.nlm.nih.gov/pubmed/17674954>

Brain Res. 2007 Sep 12;1169:120-4. Epub 2007 Jul 17.

Effects of 900-MHz electromagnetic field emitted from cellular phone on brain oxidative stress and some vitamin levels of guinea pigs.

Meral I, Mert H, Mert N, Deger Y, Yoruk I, Yetkin A, Keskin S.

Department of Physiology, School of Medicine, Yuzuncu Yil University, 65200, Van, Turkey. imeral20@hotmail.com

<http://www.ncbi.nlm.nih.gov/pubmed/11516912>

J Pharm Biomed Anal. 2001 Nov;26(4):605-8.

Effects of acute exposure to the radiofrequency fields of cellular phones on plasma lipid peroxide and antioxidant activities in human erythrocytes.

Moustafa YM, Moustafa RM, Belacy A, Abou-El-Ela SH, Ali FM.

Department of Pharmacology and Toxicology, Faculty of Pharmacy, Suez Canal University, Ismailia 41522, Egypt.

<http://www.ncbi.nlm.nih.gov/pubmed/16318001>

Vopr Kurortol Fizioter Lech Fiz Kult. 2005 Sep-Oct;(5):17-20.

[Influence of (460 MHz) electromagnetic fields on the induced lipid peroxidation in the structures of visual analyzer and hypothalamus in experimental animals]

[Article in Russian]

Musaev AV, Ismailova LF, Gadzhiev AM.

<http://www.ncbi.nlm.nih.gov/pubmed/15950073>

[Arch Med Res.](#) 2005 Jul-Aug;36(4):350-5.

Oxidative damage in the kidney induced by 900-MHz-emitted mobile phone: protection by melatonin.

Oktem F, Ozguner F, Mollaoglu H, Koyu A, Uz E.

Department of Pediatric Nephrology, School of Medicine, Suleyman Demirel University, Isparta, Turkey.

<http://www.ncbi.nlm.nih.gov/pubmed/17276964>

[Adv Ther.](#) 2006 Nov-Dec;23(6):957-73.

Endometrial apoptosis induced by a 900-MHz mobile phone: preventive effects of vitamins E and C.

Oral B, Guney M, Ozguner F, Karahan N, Mungan T, Comlekci S, Cesur G.

Department of Obstetrics and Gynecology, Suleyman Demirel University, Isparta, Turkey.

<http://www.ncbi.nlm.nih.gov/pubmed/16132682>

[Mol Cell Biochem.](#) 2005 Aug;276(1-2):31-7.

Comparative analysis of the protective effects of melatonin and caffeic acid phenethyl ester (CAPE) on mobile phone-induced renal impairment in rat.

Ozguner F, Oktem F, Armagan A, Yilmaz R, Koyu A, Demirel R, Vural H, Uz E.

Department of Physiology, School of Medicine, Suleyman Demirel University, P. K. 13 32100 Isparta, Turkey.
drmfehmi@yahoo.com

<http://www.ncbi.nlm.nih.gov/pubmed/16132717>

[Mol Cell Biochem.](#) 2005 Sep;277(1-2):73-80.

A novel antioxidant agent caffeic acid phenethyl ester prevents long-term mobile phone exposure-induced renal impairment in rat. Prognostic value of malondialdehyde, N-acetyl-beta-D-glucosaminidase and nitric oxide determination.

Ozguner F, Oktem F, Ayata A, Koyu A, Yilmaz HR.

Department of Physiology, School of Medicine, Suleyman Demirel University, P. K. 13, Isparta, 32100, Turkey.
drmfehmi@yahoo.com

<http://www.ncbi.nlm.nih.gov/pubmed/16342473>

[Toxicol Ind Health.](#) 2005 Oct;21(9):223-30.

Mobile phone-induced myocardial oxidative stress: protection by a novel antioxidant agent caffeic acid phenethyl ester.

Ozguner F, Altinbas A, Ozaydin M, Dogan A, Vural H, Kisioglu AN, Cesur G, Yildirim NG.

Department of Physiology, School of Medicine, Suleyman Demirel University, Isparta, Turkey. drmfehmi@yahoo.com

<http://www.ncbi.nlm.nih.gov/pubmed/16317515>

[Mol Cell Biochem.](#) 2006 Jan;282(1-2):83-8.

Protective effects of melatonin and caffeic acid phenethyl ester against retinal oxidative stress in long-term use of mobile phone: a comparative study.

Ozguner F, Bardak Y, Comlekci S.

Department of Physiology, School of Medicine, Suleyman Demirel University, P. K. 13, 32100 Isparta, Turkey.
drmfehmi@yahoo.com

<http://www.ncbi.nlm.nih.gov/pubmed/19682728>

[Sci Total Environ.](#) 2009 Aug 12. [Epub ahead of print]

Mobile phone radiation inhibits *Vigna radiata* (mung bean) root growth by inducing oxidative stress.

Sharma VP, Singh HP, Kohli RK, Batish DR.

Department of Environment and Vocational Studies, Panjab University, Chandigarh 160014, India; Department of Zoology, Panjab University, Chandigarh 160014, India.

<http://www.ncbi.nlm.nih.gov/pubmed/18827438>

J Radiat Res (Tokyo). 2008 Nov;49(6):579-86. Epub 2008 Sep 29.

Melatonin reduces oxidative stress induced by chronic exposure of microwave radiation from mobile phones in rat brain.

Sokolovic D, Djindjic B, Nikolic J, Bjelakovic G, Pavlovic D, Kocic G, Krstic D, Cvetkovic T, Pavlovic V.

Institute of Biochemistry, Medical Faculty in Nis, Serbia. soko@medfak.ni.ac.yu

<http://www.ncbi.nlm.nih.gov/pubmed/12474410>

Med Pr. 2002;53(4):311-4.

[Effect of electromagnetic field produced by mobile phones on the activity of superoxide dismutase (SOD-1) and the level of malonyldialdehyde (MDA) --in vitro study]

[Article in Polish]

Stopczyk D, Gnitecki W, Buczynski A, Markuszewski L, Buczynski J.

Zakladu Medycyny Zapobiegawczej i Promocji Zdrowia, Wojskowej Akademii Medycznej w Lodzi.

darstop@poczta.onet.pl

<http://www.ncbi.nlm.nih.gov/pubmed/16602439>

Ann Acad Med Stetin. 2005;51 Suppl 1:125-8.

[Effect of electromagnetic field produced by mobile phones on the activity of superoxide dismutase (SOD-1)--in vitro researches]

[Article in Polish]

Stopczyk D, Gnitecki W, Buczynski A, Kowalski W, Buczynska M, Kroc A.

Zaklad Medycyny Zapobiegawczej i Promocji Zdrowia Wojskowej Akademii Medycznej ul. Zeligowskiego 7/9,

90-643 lodz.

<http://www.ncbi.nlm.nih.gov/pubmed/12552762>

Sheng Wu Yi Xue Gong Cheng Xue Za Zhi. 1999 Sep;16(3):359-61.

[The influence of pulsed magnetic fields on SOD's activity and MDA value in metabolism of mice]

[Article in Chinese]

Wu D, Wang D, Xi X, Li X, Mo J.

Laboratory for Free Radical Research, Fourth Military Medical University, Xi'an 710032.

<http://www.ncbi.nlm.nih.gov/pubmed/19879861>

Brain Res. 2009 Oct 29. [Epub ahead of print]

Exposure to 1800 MHz radiofrequency radiation induces oxidative damage to mitochondrial DNA in primary cultured neurons.

Xu S, Zhong M, Zhang L, Zhou Z, Zhang W, Wang Y, Wang X, Li M, Chen Y, Chen C, He M, Zhang G, Yu Z.

Department of occupational health, Third Military Medical University, Chongqing 400038, People's Republic of China.

<http://www.ncbi.nlm.nih.gov/pubmed/10927193>

Pathophysiology. 2000 Jul;7(2):131-135.

Enhancement of nitric oxide generation by low frequency electromagnetic field.

Yoshikawa T, Tanigawa M, Tanigawa T, Imai A, Hongo H, Kondo M.

First Department of Internal Medicine, Kyoto Prefectural University of Medicine, Kawaramachi Hirokoji, Kamigyoku, 602-8566, Kyoto, Japan

<http://www.ncbi.nlm.nih.gov/pubmed/16954120>

Electromagn Biol Med. 2006;25(3):177-88.

GSM base station electromagnetic radiation and oxidative stress in rats.

Yurekli AI, Ozkan M, Kalkan T, Saybasili H, Tuncel H, Atukeren P, Gumustas K, Seker S.

Tubitak-Uekae, EMC TEMPEST Test Center, Gebze-Kocaeli, Turkey. yurekli@uekae.tubitak.gov.tr

<http://www.ncbi.nlm.nih.gov/pubmed/15621941>

[Biol Trace Elem Res.](#) 2004 Winter;102(1-3):227-43.

Influence of extremely-low-frequency magnetic field on antioxidative melatonin properties in AT478 murine squamous cell carcinoma culture.

[Zwirska-Korczala K](#), [Adamczyk-Sowa M](#), [Polaniak R](#), [Sowa P](#), [Birkner E](#), [Drzazga Z](#), [Brzozowski T](#), [Konturek SJ](#).

Department of Physiology, Silesian University School of Medicine, Zabrze, Poland.

<http://www.ncbi.nlm.nih.gov/pubmed/16340043>

[J Physiol Pharmacol.](#) 2005 Dec;56 Suppl 6:101-8.

Effect of extremely low frequency of electromagnetic fields on cell proliferation, antioxidative enzyme activities and lipid peroxidation in 3T3-L1 preadipocytes - an in vitro study.

[Zwirska-Korczala K](#), [Jochem J](#), [Adamczyk-Sowa M](#), [Sowa P](#), [Polaniak R](#), [Birkner E](#), [Latocha M](#), [Pilc K](#), [Suchanek R](#).

Department of Physiology, Zabrze, Medical University of Silesia, Katowice, Poland.

More studies here:

http://www.jstage.jst.go.jp/article/jrr/49/2/49_181/cit