


My \$ONTOP_CLI_DIR

dor > Disco Local (C:) > \$ONTOP_CLI_DIR >				
Nome	Data de modificação	Tipo	Tamanho	
copyright	25/02/2023 20:08	Pasta de arquivos		
jdbc	25/02/2023 20:26	Pasta de arquivos		
lib	25/02/2023 20:08	Pasta de arquivos		
log	25/02/2023 20:08	Pasta de arquivos		
logback.xml	25/02/2023 20:08	Documento XML	1 KB	
ontop	25/02/2023 20:08	Arquivo	2 KB	
ontop.bat	25/02/2023 20:08	Arquivo em Lotes ...	1 KB	
ontop-cli-5.0.1 (2).zip	25/02/2023 19:51	Arquivo ZIP do Wi...	44.319 KB	
ontop-completion.sh	25/02/2023 20:08	Shell Script	19 KB	
README.md	25/02/2023 20:08	Arquivo MD	3 KB	

3 - Start the h2 database.



The screenshot shows the H2 Database browser interface. At the top, there is a navigation bar with links to various web pages. Below the navigation bar, there are several configuration buttons: Auto commit (checked), Max rows (set to 1000), Run Selected, Auto complete (checked), and SQL statement input field. The SQL statement input field contains the following query:

```
SELECT *  
FROM "uni1"."student";
```

Below the SQL statement, the results are displayed in a table:

s_id	first_name	last_name
1	Mary	Smith
2	John	Doe
3	Franck	Combs
4	Billy	Hinkley
5	Alison	Robards

At the bottom of the result area, it says "(5 rows, 4 ms)". There is also an "Edit" button at the bottom left of the result area.

5. Start the Ontop endpoint. On Windows:

```
ontop endpoint ^
--ontology=input/university-complete.ttl ^
--mapping=input/university-complete.obda ^
--properties=input/university-complete.properties ^
--cors-allowed-origins=http://yasgui.org
```

I'm getting the following error:

```
04:07:21.025 |-INFO in i.u.i.o.e.OntopEndpointApplication - Starting
OntopEndpointApplication v5.0.1 using Java 11.0.16.1 on DESKTOP-ORRQFQQ with PID 12560
(C:$ONTOP_CLI_DIR\lib\ontop-endpoint-5.0.1.jar started by albertosoki in
C:$ONTOP_CLI_DIR)

04:07:21.028 |-INFO in i.u.i.o.e.OntopEndpointApplication - No active profile set, falling back
to 1 default profile: "default"

04:07:22.752 |-INFO in o.s.b.w.e.tomcat.TomcatWebServer - Tomcat initialized with port(s):
8080 (http)

04:07:22.762 |-INFO in o.a.coyote.http11.Http11NioProtocol - Initializing ProtocolHandler
["http-nio-8080"]

04:07:22.762 |-INFO in o.a.catalina.core.StandardService - Starting service [Tomcat]

04:07:22.763 |-INFO in o.a.catalina.core.StandardEngine - Starting Servlet engine: [Apache
Tomcat/9.0.71]

04:07:22.930 |-INFO in o.a.c.c.C.[Tomcat].[localhost].[/] - Initializing Spring embedded
WebApplicationContext

04:07:22.930 |-INFO in o.s.b.w.s.c.ServletWebServerApplicationContext - Root
WebApplicationContext: initialization completed in 1846 ms

04:07:23.173 |-WARN in o.s.b.w.s.c.AnnotationConfigServletWebServerApplicationContext -
Exception encountered during context initialization - cancelling refresh attempt:
org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with
name 'sparqlQueryController' defined in URL [jar:file:/C:$ONTOP_CLI_DIR/lib/ontop-
endpoint-5.0.1.jar!/it/unibz/inf/ontop/endpoint/controllers/SparqlQueryController.class]:
Unsatisfied dependency expressed through constructor parameter 0; nested exception is
org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with
name 'setupVirtualRepository' defined in class path resource
[it/unibz/inf/ontop/endpoint/beans/OntopVirtualRepositoryBean.class]: Unsatisfied
dependency expressed through method 'setupVirtualRepository' parameter 1; nested
exception is org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'setupOntopConfiguration' defined in class path resource
[it/unibz/inf/ontop/endpoint/beans/OntopVirtualRepositoryBean.class]: Bean instantiation via
factory method failed; nested exception is
org.springframework.beans.BeanInstantiationException: Failed to instantiate
[it.unibz.inf.ontop.injection.OntopSystemConfiguration]: Factory method
```

```
'setupOntopConfiguration' threw exception; nested exception is  
it.unibz.inf.ontop.exception.InvalidOntopConfigurationException: Cannot reach the property  
file: input\university-complete.properties
```

```
04:07:23.176 |-INFO in o.a.catalina.core.StandardService - Stopping service [Tomcat]
```

```
04:07:23.194 |-INFO in o.s.b.a.l.ConditionEvaluationReportLoggingListener -
```

Error starting ApplicationContext. To display the conditions report re-run your application with 'debug' enabled.

```
04:07:23.231 |-ERROR in o.s.boot.SpringApplication - Application run failed
```

```
org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with  
name 'sparqlQueryController' defined in URL [jar:file:/C:/$ONTOP_CLI_DIR/lib/ontop-  
endpoint-5.0.1.jar!/it/unibz/inf/ontop/endpoint/controllers/SparqlQueryController.class]:  
Unsatisfied dependency expressed through constructor parameter 0; nested exception is  
org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with  
name 'setupVirtualRepository' defined in class path resource  
[it/unibz/inf/ontop/endpoint/beans/OntopVirtualRepositoryBean.class]: Unsatisfied  
dependency expressed through method 'setupVirtualRepository' parameter 1; nested  
exception is org.springframework.beans.factory.BeanCreationException: Error creating bean  
with name 'setupOntopConfiguration' defined in class path resource  
[it/unibz/inf/ontop/endpoint/beans/OntopVirtualRepositoryBean.class]: Bean instantiation via  
factory method failed; nested exception is  
org.springframework.beans.BeanInstantiationException: Failed to instantiate  
[it.unibz.inf.ontop.injection.OntopSystemConfiguration]: Factory method  
'setupOntopConfiguration' threw exception; nested exception is  
it.unibz.inf.ontop.exception.InvalidOntopConfigurationException: Cannot reach the property  
file: input\university-complete.properties
```

```
at  
org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:800)
```

```
at  
org.springframework.beans.factory.support.ConstructorResolver.autowireConstructor(ConstructorResolver.java:229)
```

```
at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java:1372)
```

```
at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanInstance(AbstractAutowireCapableBeanFactory.java:1222)
```

```
at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:582)
```

```
        at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean
(AbstractAutowireCapableBeanFactory.java:542)

        at
org.springframework.beans.factory.support.AbstractBeanFactory.lambda$doGetBean$0(Abstr
actBeanFactory.java:335)

        at
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(Defaul
tSingletonBeanRegistry.java:234)

        at
org.springframework.beans.factory.support.AbstractBeanFactory doGetBean(AbstractBeanFac
tory.java:333)

        at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactor
y.java:208)

        at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSinglet
ons(DefaultListableBeanFactory.java:955)

        at
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitializati
on(AbstractApplicationContext.java:918)

        at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplication
Context.java:583)

        at
org.springframework.boot.web.servlet.context.ServletWebServerApplicationContext.refresh(S
ervletWebServerApplicationContext.java:147)

        at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:731)

        at
org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:408)

        at org.springframework.boot.SpringApplication.run(SpringApplication.java:307)

        at org.springframework.boot.SpringApplication.run(SpringApplication.java:1303)

        at org.springframework.boot.SpringApplication.run(SpringApplication.java:1292)

        at
it.unibz.inf.ontop.endpoint.OntopEndpointApplication.main(OntopEndpointApplication.java:2
0)

        at it.unibz.inf.ontop.cli.OntopEndpoint.run(OntopEndpoint.java:133)

        at it.unibz.inf.ontop.cli.Ontop.main(Ontop.java:18)
```

Caused by: org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with name 'setupVirtualRepository' defined in class path resource [it/unibz/inf/ontop/endpoint/beans/OntopVirtualRepositoryBean.class]: Unsatisfied dependency expressed through method 'setupVirtualRepository' parameter 1; nested exception is org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'setupOntopConfiguration' defined in class path resource [it/unibz/inf/ontop/endpoint/beans/OntopVirtualRepositoryBean.class]: Bean instantiation via factory method failed; nested exception is org.springframework.beans.BeanInstantiationException: Failed to instantiate [it.unibz.inf.ontop.injection.OntopSystemConfiguration]: Factory method 'setupOntopConfiguration' threw exception; nested exception is it.unibz.inf.ontop.exception.InvalidOntopConfigurationException: Cannot reach the property file: input\university-complete.properties

at
org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:800)

at
org.springframework.beans.factory.support.ConstructorResolver.instantiateUsingFactoryMethod(ConstructorResolver.java:541)

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.instantiateUsingFactoryMethod(AbstractAutowireCapableBeanFactory.java:1352)

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanInstance(AbstractAutowireCapableBeanFactory.java:1195)

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:582)

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:542)

at
org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(AbstractBeanFactory.java:335)

at
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:234)

at
org.springframework.beans.factory.support.AbstractBeanFactory doGetBean(AbstractBeanFactory.java:333)

```
        at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactor  
y.java:208)  
  
        at  
org.springframework.beans.factory.config.DependencyDescriptor.resolveCandidate(Dependen  
cyDescriptor.java:276)  
  
        at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependenc  
y(DefaultListableBeanFactory.java:1391)  
  
        at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(D  
efaultListableBeanFactory.java:1311)  
  
        at  
org.springframework.beans.factory.support.ConstructorResolver.resolveAutowiredArgument(  
ConstructorResolver.java:887)  
  
        at  
org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(Constr  
uctorResolver.java:791)  
  
... 21 common frames omitted
```

Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'setupOntopConfiguration' defined in class path resource
[it/unibz/inf/ontop/endpoint/beans/OntopVirtualRepositoryBean.class]: Bean instantiation via
factory method failed; nested exception is
org.springframework.beans.BeanInstantiationException: Failed to instantiate
[it.unibz.inf.ontop.injection.OntopSystemConfiguration]: Factory method
'setupOntopConfiguration' threw exception; nested exception is
it.unibz.inf.ontop.exception.InvalidOntopConfigurationException: Cannot reach the property
file: input\university-complete.properties

```
        at  
org.springframework.beans.factory.support.ConstructorResolver.instantiate(ConstructorResol  
ver.java:658)  
  
        at  
org.springframework.beans.factory.support.ConstructorResolver.instantiateUsingFactoryMeth  
od(ConstructorResolver.java:638)  
  
        at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.instantiate  
UsingFactoryMethod(AbstractAutowireCapableBeanFactory.java:1352)  
  
        at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean  
Instance(AbstractAutowireCapableBeanFactory.java:1195)
```

```
        at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBe  
an(AbstractAutowireCapableBeanFactory.java:582)  
  
        at  
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean  
(AbstractAutowireCapableBeanFactory.java:542)  
  
        at  
org.springframework.beans.factory.support.AbstractBeanFactory.lambda$doGetBean$0(Abstr  
actBeanFactory.java:335)  
  
        at  
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(Defaul  
tSingletonBeanRegistry.java:234)  
  
        at  
org.springframework.beans.factory.support.AbstractBeanFactory doGetBean(AbstractBeanFac  
tory.java:333)  
  
        at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactor  
y.java:208)  
  
        at  
org.springframework.beans.factory.config.DependencyDescriptor.resolveCandidate(Dependen  
cyDescriptor.java:276)  
  
        at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependenc  
y(DefaultListableBeanFactory.java:1391)  
  
        at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(D  
efaultListableBeanFactory.java:1311)  
  
        at  
org.springframework.beans.factory.support.ConstructorResolver.resolveAutowiredArgument(  
ConstructorResolver.java:887)  
  
        at  
org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(Constr  
uctorResolver.java:791)  
  
... 35 common frames omitted
```

Caused by: org.springframework.beans.BeanInstantiationException: Failed to instantiate
[it.unibz.inf.ontop.injection.OntopSystemConfiguration]: Factory method
'setupOntopConfiguration' threw exception; nested exception is
it.unibz.inf.ontop.exception.InvalidOntopConfigurationException: Cannot reach the property
file: input\university-complete.properties

at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate(SimpleInstantiationStrategy.java:185)

at
org.springframework.beans.factory.support.ConstructorResolver.instantiate(ConstructorResolver.java:653)

... 49 common frames omitted

Caused by: it.unibz.inf.ontop.exception.InvalidOntopConfigurationException: Cannot reach the property file: input\university-complete.properties

at
it.unibz.inf.ontop.injection.impl.OntopModelConfigurationImpl.extractProperties(OntopModelConfigurationImpl.java:247)

at
it.unibz.inf.ontop.injection.impl.OntopModelConfigurationImpl\$DefaultOntopModelBuilderFragment.propertyFile(OntopModelConfigurationImpl.java:176)

at
it.unibz.inf.ontop.injection.impl.OntopModelConfigurationImpl\$DefaultOntopModelBuilderFragment.propertyFile(OntopModelConfigurationImpl.java:171)

at
it.unibz.inf.ontop.injection.impl.OntopKGQueryConfigurationImpl\$OntopKGQueryBuilderMixin.propertyFile(OntopKGQueryConfigurationImpl.java:102)

at
it.unibz.inf.ontop.injection.impl.OntopSQLOWLAPIConfigurationImpl\$BuilderImpl.propertyFile(OntopSQLOWLAPIConfigurationImpl.java:107)

at
it.unibz.inf.ontop.injection.impl.OntopKGQueryConfigurationImpl\$OntopKGQueryBuilderMixin.propertyFile(OntopKGQueryConfigurationImpl.java:59)

at
it.unibz.inf.ontop.endpoint.beans.OntopVirtualRepositoryBean.setupOntopConfiguration(OntoVirtualRepositoryBean.java:31)

at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)

at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)

at java.base/java.lang.reflect.Method.invoke(Method.java:566)

at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate(SimpleInstantiationStrategy.java:154)
... 50 common frames omitted

org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with name 'sparqlQueryController' defined in URL [jar:file:/C:/SONTOP_CLI_DIR/lib/ontop-endpoint-5.0.1.jar!/it/unibz/inf/ontop/endpoint/controllers/SparqlQueryController.class]: Unsatisfied dependency expressed through constructor parameter 0; nested exception is org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with name 'setupVirtualRepository' defined in class path resource [it/unibz/inf/ontop/endpoint/beans/OntopVirtualRepositoryBean.class]: Unsatisfied dependency expressed through method 'setupVirtualRepository' parameter 1; nested exception is org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'setupOntopConfiguration' defined in class path resource [it/unibz/inf/ontop/endpoint/beans/OntopVirtualRepositoryBean.class]: Bean instantiation via factory method failed; nested exception is org.springframework.beans.BeanInstantiationException: Failed to instantiate [it.unibz.inf.ontop.injection.OntopSystemConfiguration]: Factory method 'setupOntopConfiguration' threw exception; nested exception is it.unibz.inf.ontop.exception.InvalidOntopConfigurationException: Cannot reach the property file: input\university-complete.properties

at
org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:800)

at
org.springframework.beans.factory.support.ConstructorResolver.autowireConstructor(ConstructorResolver.java:229)

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.autowireConstructor(AbstractAutowireCapableBeanFactory.java:1372)

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanInstance(AbstractAutowireCapableBeanFactory.java:1222)

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:582)

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:542)

at
org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(AbstractBeanFactory.java:335)

```
        at
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:234)

        at
org.springframework.beans.factory.support.AbstractBeanFactory doGetBean(AbstractBeanFactory.java:333)

        at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:208)

        at
org.springframework.beans.factory.support.DefaultListableBeanFactory.preInstantiateSingletons(DefaultListableBeanFactory.java:955)

        at
org.springframework.context.support.AbstractApplicationContext.finishBeanFactoryInitialization(AbstractApplicationContext.java:918)

        at
org.springframework.context.support.AbstractApplicationContext.refresh(AbstractApplicationContext.java:583)

        at
org.springframework.boot.web.servlet.context.ServletWebServerApplicationContext.refresh(ServletWebServerApplicationContext.java:147)

        at org.springframework.boot.SpringApplication.refresh(SpringApplication.java:731)

        at
org.springframework.boot.SpringApplication.refreshContext(SpringApplication.java:408)

        at org.springframework.boot.SpringApplication.run(SpringApplication.java:307)

        at org.springframework.boot.SpringApplication.run(SpringApplication.java:1303)

        at org.springframework.boot.SpringApplication.run(SpringApplication.java:1292)

        at
it.unibz.inf.ontop.endpoint.OntopEndpointApplication.main(OntopEndpointApplication.java:20)

        at it.unibz.inf.ontop.cli.OntopEndpoint.run(OntopEndpoint.java:133)

        at it.unibz.inf.ontop.cli.Ontop.main(Ontop.java:18)

Caused by: org.springframework.beans.factory.UnsatisfiedDependencyException: Error creating bean with name 'setupVirtualRepository' defined in class path resource [it/unibz/inf/ontop/endpoint/beans/OntopVirtualRepositoryBean.class]: Unsatisfied dependency expressed through method 'setupVirtualRepository' parameter 1; nested exception is org.springframework.beans.factory.BeanCreationException: Error creating bean with name 'setupOntopConfiguration' defined in class path resource [it/unibz/inf/ontop/endpoint/beans/OntopVirtualRepositoryBean.class]: Bean instantiation via factory method failed; nested exception is
```

```
org.springframework.beans.BeanInstantiationException: Failed to instantiate
[it.unibz.inf.on top.injection.OntopSystemConfiguration]: Factory method
'setupOntopConfiguration' threw exception; nested exception is
it.unibz.inf.on top.exception.InvalidOntopConfigurationException: Cannot reach the property
file: input\university-complete.properties

        at
org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:800)

        at
org.springframework.beans.factory.support.ConstructorResolver.instantiateUsingFactoryMethod(ConstructorResolver.java:541)

        at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.instantiateUsingFactoryMethod(AbstractAutowireCapableBeanFactory.java:1352)

        at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBeanInstance(AbstractAutowireCapableBeanFactory.java:1195)

        at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBean(AbstractAutowireCapableBeanFactory.java:582)

        at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean(AbstractAutowireCapableBeanFactory.java:542)

        at
org.springframework.beans.factory.support.AbstractBeanFactory.lambda$doGetBean$0(AbstractBeanFactory.java:335)

        at
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:234)

        at
org.springframework.beans.factory.support.AbstractBeanFactory doGetBean(AbstractBeanFactory.java:333)

        at
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:208)

        at
org.springframework.beans.factory.config.DependencyDescriptor.resolveCandidate(DependencyDescriptor.java:276)

        at
org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependency(DefaultListableBeanFactory.java:1391)
```

at
org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(D
efaultListableBeanFactory.java:1311)

at
org.springframework.beans.factory.support.ConstructorResolver.resolveAutowiredArgument(Con
structorResolver.java:887)

at
org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(Constr
uctorResolver.java:791)

... 21 more

Caused by: org.springframework.beans.factory.BeanCreationException: Error creating bean
with name 'setupOntopConfiguration' defined in class path resource
[it/unibz/inf/ontop/endpoint/beans/OntopVirtualRepositoryBean.class]: Bean instantiation via
factory method failed; nested exception is
org.springframework.beans.BeanInstantiationException: Failed to instantiate
[it.unibz.inf.ontop.injection.OntopSystemConfiguration]: Factory method
'setupOntopConfiguration' threw exception; nested exception is
it.unibz.inf.ontop.exception.InvalidOntopConfigurationException: Cannot reach the property
file: input\university-complete.properties

at
org.springframework.beans.factory.support.ConstructorResolver.instantiate(ConstructorResol
ver.java:658)

at
org.springframework.beans.factory.support.ConstructorResolver.instantiateUsingFactoryMeth
od(ConstructorResolver.java:638)

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.instantiate
UsingFactoryMethod(AbstractAutowireCapableBeanFactory.java:1352)

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean
Instance(AbstractAutowireCapableBeanFactory.java:1195)

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.doCreateBe
an(AbstractAutowireCapableBeanFactory.java:582)

at
org.springframework.beans.factory.support.AbstractAutowireCapableBeanFactory.createBean
(AbstractAutowireCapableBeanFactory.java:542)

at
org.springframework.beans.factory.support.AbstractBeanFactory.lambda\$doGetBean\$0(Abstr
actBeanFactory.java:335)

```
        at  
org.springframework.beans.factory.support.DefaultSingletonBeanRegistry.getSingleton(DefaultSingletonBeanRegistry.java:234)  
  
        at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:333)  
  
        at  
org.springframework.beans.factory.support.AbstractBeanFactory.getBean(AbstractBeanFactory.java:208)  
  
        at  
org.springframework.beans.factory.config.DependencyDescriptor.resolveCandidate(DependencyDescriptor.java:276)  
  
        at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.doResolveDependency(DefaultListableBeanFactory.java:1391)  
  
        at  
org.springframework.beans.factory.support.DefaultListableBeanFactory.resolveDependency(DefaultListableBeanFactory.java:1311)  
  
        at  
org.springframework.beans.factory.support.ConstructorResolver.resolveAutowiredArgument(ConstructorResolver.java:887)  
  
        at  
org.springframework.beans.factory.support.ConstructorResolver.createArgumentArray(ConstructorResolver.java:791)  
  
... 35 more
```

Caused by: org.springframework.beans.BeanInstantiationException: Failed to instantiate [it.unibz.inf.ontop.injection.OntopSystemConfiguration]: Factory method 'setupOntopConfiguration' threw exception; nested exception is it.unibz.inf.ontop.exception.InvalidOntopConfigurationException: Cannot reach the property file: input\university-complete.properties

```
        at  
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate(SimpleInstantiationStrategy.java:185)  
  
        at  
org.springframework.beans.factory.support.ConstructorResolver.instantiate(ConstructorResolver.java:653)  
  
... 49 more
```

Caused by: it.unibz.inf.ontop.exception.InvalidOntopConfigurationException: Cannot reach the property file: input\university-complete.properties

```
        at
it.unibz.inf.onotp.injection.impl.OntopModelConfigurationImpl.extractProperties(OntopModel
ConfigurationImpl.java:247)

        at
it.unibz.inf.onotp.injection.impl.OntopModelConfigurationImpl$DefaultOntopModelBuilderFra
gment.propertyFile(OntopModelConfigurationImpl.java:176)

        at
it.unibz.inf.onotp.injection.impl.OntopModelConfigurationImpl$DefaultOntopModelBuilderFra
gment.propertyFile(OntopModelConfigurationImpl.java:171)

        at
it.unibz.inf.onotp.injection.impl.OntopKGQueryConfigurationImpl$OntopKGQueryBuilderMixin
.propertyFile(OntopKGQueryConfigurationImpl.java:102)

        at
it.unibz.inf.onotp.injection.impl.OntopSQLOWLAPIConfigurationImpl$BuilderImpl.propertyFile(
OntopSQLOWLAPIConfigurationImpl.java:107)

        at
it.unibz.inf.onotp.injection.impl.OntopKGQueryConfigurationImpl$OntopKGQueryBuilderMixin
.propertyFile(OntopKGQueryConfigurationImpl.java:59)

        at
it.unibz.inf.onotp.endpoint.beans.OntopVirtualRepositoryBean.setupOntopConfiguration(Onto
pVirtualRepositoryBean.java:31)

        at java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke0(Native Method)

        at
java.base/jdk.internal.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.j
ava:62)

        at
java.base/jdk.internal.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccess
orImpl.java:43)

        at java.base/java.lang.reflect.Method.invoke(Method.java:566)

        at
org.springframework.beans.factory.support.SimpleInstantiationStrategy.instantiate(Simpl
eInst
antiationStrategy.java:154)

        ... 50 more
```

Exception in thread "main" java.lang.AssertionError

```
at it.unibz.inf.onotp.cli.Ontop.main(Ontop.java:30)
```

