

*in cases of 6-degree upslope, we've included only the theoretical tt. Length
 all of our bikes have 1" threaded forks
 the roadeo is available with a 1" threadless fork
 this info is subject to change without notice

| | bb size | drop mm | tt slope | rear hub space mm | stand over cm | st angle | ht angle | rake cm | top tube cm | front center | chain stay cm | wheel size | max tire | effecti ve brake reach | brake style | Double Top Tube? |
|-----------------|------------|------------|-------------|----------------------------|---------------------|-------------|-------------|------------|-------------------|-----------------|---------------------|------------|----------|---------------------------------|-------------|------------------------|
| A. Homer Hilsen | | | | | | | | | | | | | | | | |
| 47 | 67.0 | 2.5 | 135 | 73.5 | 72.5 | 71 | 4.9 | 52 | 56 | 43.5 | 584/650b | 650x41 | 65 | LR side | | |
| 50 | 67.0 | 1.5 | 135 | 75 | 72.5 | 71 | 4.9 | 53 | | 43.5 | 584/650b | 650x41 | 65 | LR side | | |
| 52 | 67.0 | 1.5 | 135 | 76.8 | 72.5 | 71 | 4.9 | 54.5 | 59 | 43.5 | 584/650b | 650x41 | 65 | LR side | | |
| 54 | 67.0 | 1.5 | 135 | 78.6 | 72 | 71 | 4.9 | 56 | | 43.5 | 584/650b | 650x41 | 65 | LR side | | |
| 56 | 67.0 | 1.5 | 135 | 80.4 | 72 | 71 | 4.9 | 57 | | 43.5 | 584/650b | 650x41 | 65 | LR side | | |
| 58 | 67.0 | 1.5 | 135 | 82.2 | 72 | 71 | 4.9 | 58.5 | 63 | 43.5 | 584/650b | 650x41 | 65 | LR side | | |
| 55 | 80.0 | 1.5 | 135 | 80.9 | 72 | 72 | 5.2 | 55.5 | 58.9 | 45 | 622/700c | 700x43 | 65 | lr side | | |
| 57 | 80.0 | 1.5 | 135 | 83.1 | 72 | 72 | 5.2 | 57 | 60 | 45 | 622/700c | 700x43 | 65 | lr side | | |
| 59 | 80.0 | 1.5 | 135 | 85 | 72 | 72 | 5.2 | 58 | 62 | 45 | 622/700c | 700x43 | 65 | lr side | | |
| 61 | 80.0 | 1.5 | 135 | 86.9 | 72 | 72 | 5.2 | 59 | 62 | 45 | 622/700c | 700x43 | 65 | lr side | option | |
| 63 | 80.0 | 1.5 | 135 | 88.8 | 72 | 72 | 5.2 | 60.5 | 63 | 45 | 622/700c | 700x43 | 65 | lr side | option | |
| 65 | 80.0 | 1.5 | 135 | 90.7 | 72 | 72.5 | 4.75 | 62.5 | 65 | 45 | 622/700c | 700x43 | 65 | lr side | yes | |
| 67 | 70.0 | 1.5 | 135 | 92.6 | 72 | 72.5 | 4.75 | 64.2 | 66.8 | 45 | 622/700c | 700x43 | 65 | lr side | yes | |
| 69 | 62.5 | 1.5 | 135 | 95 | 72 | 72.5 | 4.75 | 65 | 67.7 | 45.5 | 622/700c | 700x43 | 65 | lr side | yes | |
| 72 | 65.0 | 1.5 | 135 | 96.5 | 72 | 72.5 | 4.75 | 66 | 68.7 | 45.5 | 622/700c | 700x43 | 65 | lr side | yes | |
| Roadeo | | | | | | | | | | | | | | | | |
| 51 | 75.0 | 2 | 130 | 76.8 | 73 | 72 | 4.9 | 53.5 | 58 | 43.5 | 622/700c | 700x35 | 55 | STD side | | |
| 53 | 75.0 | 2 | 130 | 78.7 | 73 | 72 | 4.9 | 53.5 | 58.6 | 43 | 622/700c | 700x35 | 55 | STD side | | |
| 55 | 75.0 | 2 | 130 | 80.6 | 73 | 72.5 | 4.6 | 55.5 | 58.4 | 43 | 622/700c | 700x35 | 55 | STD side | | |
| 57 | 75.0 | 2 | 130 | 82.4 | 72.5 | 73 | 4.3 | 56.5 | 58.7 | 43 | 622/700c | 700x35 | 55 | STD side | | |
| 59 | 77.0 | 2 | 130 | 84 | 72 | 73 | 4.3 | 58.2 | 59.8 | 43.5 | 622/700c | 700x35 | 55 | STD side | | |
| 61 | 75.0 | 2 | 130 | 86.1 | 72 | 73 | 4.35 | 59 | 60.6 | 43.5 | 622/700c | 700x35 | 55 | STD side | | |
| 63 | 73.0 | 2 | 130 | 88.3 | 72 | 73 | 4.35 | 60 | 61.6 | 43.5 | 622/700c | 700x35 | 55 | STD side | | |

| size | bb drop mm | tt slope | rear hub space mm | stand over cm | st angle | ht angle | rake cm | top tube cm | front center | chain stay cm | wheel size | max tire | effective brake reach | brake style | Double Top Tube? |
|------------------------|------------|----------|-------------------|---------------|----------|----------|---------|-------------|--------------|---------------|------------|----------|-----------------------|---------------|------------------|
| Sam Hillborne | | | | | | | | | | | | | | | |
| 48 | 66.0 | 6 | 135 | 74.9 | 71.5 | 71 | 5.2 | 54.5 | 59 | 44.5 | 584/650b | 650x41 | 65 | canti or side | |
| 52 | 66.0 | 6 | 135 | 78.9 | 71.5 | 71 | 5.2 | 57.5 | 61 | 44.5 | 584/650b | 650x41 | 65 | canti or side | |
| 56 | 75.0 | 6 | 135 | 83.4 | 71.5 | 72 | 5.2 | 59 | 62 | 45.5 | 622/700c | 700x45 | 65 | canti or side | option |
| 60 | 78.0 | 6 | 135 | 87.6 | 71.5 | 72 | 5.2 | 61 | 64 | 45.5 | 622/700c | 700x45 | 65 | canti or side | option |
| 64 | 78.0 | 6 | 135 | 91.5 | 71.5 | 72 | 5.2 | 64 | 67 | 45.5 | 622/700c | 700x45 | 65 | canti or side | yes |
| Betty Foy / Yves Gomez | | | | | | | | | | | | | | | |
| 47 | 52.0 | n/a | 135 | n/a | 72 | 70 | 5.5 | 53.5 | 60 | 45 | 559/26 in. | 26x40 | ? | lr side | n/a |
| 52 | 64.0 | n/a | 135 | n/a | 72 | 70 | 5.5 | 57.5 | 63 | 45 | 584/650b | 650x45 | ? | lr side | n/a |
| 58 | 64.0 | n/a | 135 | n/a | 72 | 70 | 5.5 | 59.5 | 65.5 | 45 | 584/650b | 650x45 | ? | lr side | n/a |
| 62 | | n/a | 135 | n/a | 72 | 70 | 6.2 | 61.5 | 69 | 47 | 622/700c | 700x40 | ? | lr side | n/a |

| size | bb drop mm | tt slope | rear hub space mm | stand over cm | st angle | ht angle | rake cm | top tube cm | front center | chain stay cm | wheel size | max tire | effective brake reach | brake style | Double Top Tube? |
|-------------|------------|----------|-------------------|---------------|----------|----------|---------|-------------|--------------|---------------|------------|----------|-----------------------|-------------|------------------|
| Hunqapillar | | | | | | | | | | | | | | | |
| 48 | 55.0 | 6 | 135 | 76.5 | 71.5 | 71 | 4.8 | 54.5 | 59.8 | 46 | 559/26 in. | 26x2.35 | n/a | canti | |
| 51 | 55.0 | 6 | 135 | 79.1 | 71.5 | 71 | 4.8 | 57.5 | 61.4 | 46 | 559/26 in. | 26x2.35 | n/a | canti | |
| 54 | 80.0 | 6 | 135 | 82.8 | 72 | 72 | 5 | 58.4 | 63.1 | 46 | 622/700c | 700x55 | n/a | canti | |
| 58 | 80.0 | 6 | 135 | 86.7 | 72 | 72 | 5 | 60 | 65.2 | 46 | 622/700c | 700x55 | n/a | canti | yes |
| 62 | 80.0 | 6 | 135 | 90.6 | 72 | 72 | 5 | 62.5 | 67.6 | 46 | 622/700c | 700x55 | n/a | canti | yes |
| Atlantis | | | | | | | | | | | | | | | |
| 47 | 48.0 | 2.5 | 135 | 71.2 | 72.5 | 71 | 4.5 | 52 | | 44 | 559/26 in. | 26x1.85 | n/a | canti | |
| 51 | 48.0 | 2.5 | 135 | 77 | 72.5 | 72 | 4 | 53.5 | 56 | 44 | 559/26 in. | 26x2.35 | n/a | canti | |
| 53 | 48.0 | 2.5 | 135 | 78.9 | 72.5 | 72 | 4 | 55 | | 44 | 559/26 in. | 26x2.35 | n/a | canti | |
| 54.5 | 48.0 | 2.5 | 135 | 80.8 | 72 | 72 | 4 | 56 | 58 | 44 | 559/26 in. | 26x2.35 | n/a | canti | |
| 56 | 48.0 | 2.5 | 135 | 81.7 | 72 | 72 | 4 | 57 | 62 | 44 | 559/26 in. | 26x2.35 | n/a | canti | |
| 58 | 80.0 | 2.5 | 135 | 83.2 | 72 | 72 | 4.5 | 58.5 | 61 | 45.5 | 622/700c | 700x55 | n/a | canti | |
| 61 | 80.0 | 2.5 | 135 | 85.1 | 72 | 72 | 4.5 | 59 | 61 | 45.5 | 622/700c | 700x55 | n/a | canti | |
| Bombadil | | | | | | | | | | | | | | | |
| 48 | 67.0 | 6 | 135 | 77.1 | 72 | 70.5 | 5.4 | 56.5 | 61.8 | 45 | 584/650b | 650x55 | n/a | canti | |
| 52 | 67.0 | 6 | 135 | 81.1 | 72 | 70.5 | 5.4 | 58.3 | 63.7 | 45 | 584/650b | 650x55 | n/a | canti | yes |
| 56 | 67.0 | 6 | 135 | 85 | 72 | 70.5 | 5.4 | 60.5 | 66 | 45 | 584/650b | 650x55 | n/a | canti | yes |
| 60 | 80.0 | 6 | 135 | 88.7 | 72 | 71 | 5.7 | 63 | 68.2 | 47 | 622/700c | 700x55 | n/a | canti | yes |
| 64 | 80.0 | 6 | 135 | 93.4 | 72 | 71 | 5.7 | 64.5 | 69.6 | | 622/700c | 700x55 | n/a | canti | yes |
| 68 | 80.0 | 6 | 135 | 97.5 | 72 | 71 | 5.7 | 66 | 71 | | 622/700c | 700x55 | n/a | canti | yes |