

Sprockets::FileNotFound in Refinery::Admin::Pages#index

Showing /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/refinerycms-core-4.0.3/app/views/refinery/admin/_make_sortable.html.erb where line #2 raised:

couldn't find file 'jquery-ui/widgets/autocomplete' with type 'application/javascript'

Checked in these paths:

- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/speakingurl-rails-8.0.2/lib
- /Users/tli/Sites/rick/rickrockstar/app/assets/config
- /Users/tli/Sites/rick/rickrockstar/app/assets/images
- /Users/tli/Sites/rick/rickrockstar/app/assets/javascripts
- /Users/tli/Sites/rick/rickrockstar/app/assets/stylesheets
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/bundler/gems/refinerycms-blog-clf681496355/app/assets/images
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/bundler/gems/refinerycms-blog-clf681496355/app/assets/javascripts
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/bundler/gems/refinerycms-blog-clf681496355/app/assets/stylesheets
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/refinerycms-wymeditor-2.0.0/app/assets/images
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/refinerycms-wymeditor-2.0.0/app/assets/javascripts
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/refinerycms-wymeditor-2.0.0/app/assets/stylesheets
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/refinerycms-core-4.0.3/app/assets/config
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/refinerycms-core-4.0.3/app/assets/images
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/refinerycms-core-4.0.3/app/assets/javascripts
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/refinerycms-core-4.0.3/app/assets/stylesheets
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/refinerycms-core-4.0.3/vendor/assets/javascripts
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/refinerycms-il8n-4.0.2/app/assets/images
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/jquery-rails-4.3.3/vendor/assets/javascripts
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/jquery-ui-rails-5.0.5/app/assets/images
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/jquery-ui-rails-5.0.5/app/assets/javascripts
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/jquery-ui-rails-5.0.5/app/assets/stylesheets
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/coffee-rails-4.2.2/lib/assets/javascripts
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/actioncable-5.1.6.1/lib/assets/compiled
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/actionview-5.1.6.1/lib/assets/compiled
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/turbolinks-source-5.2.0/lib/assets/javascripts
- /Users/tli/Sites/rick/rickrockstar/node_modules
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/font-awesome-sass-4.7.0/assets/stylesheets
- /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/font-awesome-sass-4.7.0/assets/fonts

Extracted source (around line #1):

```

1  //= require jquery-ui/widgets/autocomplete
2
3  $(document).ready(function(){
4    $('#more_options').hide()
5
6    $('nav#actions.multilist > ul:not(.search_list) li a[href$="' + window.location.pathname + '"]')
```

Trace of template inclusion: /Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/gems/refinerycms-pages-4.0.3/app/views/refinery/admin/pages/index.html.erb

Rails.root: /Users/tli/Sites/rick/rickrockstar

[Application Trace](#) | [Framework Trace](#) | [Full Trace](#)

[/Users/tli/.rbenv/versions/2.5.1/lib/ruby/gems/2.5.0/bundler/gems/refinerycms-blog-clf681496355/app/assets/javascripts/refinery/blog/backend.js:1](#)
[sprockets \(3.7.2\) lib/sprockets/resolve.rb:65:in `resolve!'](#)
[sprockets \(3.7.2\) lib/sprockets/directive_processor.rb:399:in `resolve'](#)
[sprockets \(3.7.2\) lib/sprockets/directive_processor.rb:207:in `process_require_directive'](#)
[sprockets \(3.7.2\) lib/sprockets/directive_processor.rb:180:in `block in process_directives'](#)

>>

x

sprockets (3.7.2) lib/sprockets/loader.rb:134:in `load_from_unloaded'
sprockets (3.7.2) lib/sprockets/loader.rb:60:in `block in load'
sprockets (3.7.2) lib/sprockets/loader.rb:317:in `fetch_asset_from_dependency_cache'
sprockets (3.7.2) lib/sprockets/loader.rb:44:in `load'
sprockets (3.7.2) lib/sprockets/cached_environment.rb:20:in `block in initialize'
sprockets (3.7.2) lib/sprockets/cached_environment.rb:47:in `load'
sprockets (3.7.2) lib/sprockets/bundle.rb:23:in `block in call'
sprockets (3.7.2) lib/sprockets/utils.rb:200:in `dfs'
sprockets (3.7.2) lib/sprockets/bundle.rb:24:in `call'
sprockets (3.7.2) lib/sprockets/processor_utils.rb:75:in `call_processor'
sprockets (3.7.2) lib/sprockets/processor_utils.rb:57:in `block in call_processors'
sprockets (3.7.2) lib/sprockets/processor_utils.rb:56:in `reverse_each'
sprockets (3.7.2) lib/sprockets/processor_utils.rb:56:in `call_processors'
sprockets (3.7.2) lib/sprockets/loader.rb:134:in `load_from_unloaded'
sprockets (3.7.2) lib/sprockets/loader.rb:60:in `block in load'
sprockets (3.7.2) lib/sprockets/loader.rb:317:in `fetch_asset_from_dependency_cache'
sprockets (3.7.2) lib/sprockets/loader.rb:44:in `load'
sprockets (3.7.2) lib/sprockets/cached_environment.rb:20:in `block in initialize'
sprockets (3.7.2) lib/sprockets/cached_environment.rb:47:in `load'
sprockets (3.7.2) lib/sprockets/base.rb:66:in `find_asset'
sprockets (3.7.2) lib/sprockets/base.rb:73:in `find_all_linked_assets'
sprockets (3.7.2) lib/sprockets/manifest.rb:134:in `block in find'
sprockets (3.7.2) lib/sprockets/manifest.rb:133:in `each'
sprockets (3.7.2) lib/sprockets/manifest.rb:133:in `find'
sprockets-rails (3.2.1) lib/sprockets/railtie.rb:50:in `each'
sprockets-rails (3.2.1) lib/sprockets/railtie.rb:50:in `map'
sprockets-rails (3.2.1) lib/sprockets/railtie.rb:50:in `precompiled_assets'
sprockets-rails (3.2.1) lib/sprockets/railtie.rb:35:in `asset_precompiled?'
sprockets-rails (3.2.1) lib/sprockets/railtie.rb:251:in `block (3 levels) in <class:Railtie>'
sprockets-rails (3.2.1) lib/sprockets/rails/helper.rb:359:in `precompiled?'
sprockets-rails (3.2.1) lib/sprockets/rails/helper.rb:363:in `raise_unless_precompiled_asset'
sprockets-rails (3.2.1) lib/sprockets/rails/helper.rb:348:in `find_debug_asset'
sprockets-rails (3.2.1) lib/sprockets/rails/helper.rb:229:in `block in lookup_debug_asset'
sprockets-rails (3.2.1) lib/sprockets/rails/helper.rb:242:in `block in resolve_asset'
sprockets-rails (3.2.1) lib/sprockets/rails/helper.rb:241:in `each'
sprockets-rails (3.2.1) lib/sprockets/rails/helper.rb:241:in `detect'
sprockets-rails (3.2.1) lib/sprockets/rails/helper.rb:241:in `resolve_asset'
sprockets-rails (3.2.1) lib/sprockets/rails/helper.rb:228:in `lookup_debug_asset'
sprockets-rails (3.2.1) lib/sprockets/rails/helper.rb:141:in `block in javascript_include_tag'
sprockets-rails (3.2.1) lib/sprockets/rails/helper.rb:140:in `map'
sprockets-rails (3.2.1) lib/sprockets/rails/helper.rb:140:in `javascript_include_tag'
refinerycms-core (4.0.3) app/views/refinery/admin/_make_sortable.html.erb:2:in `block in _____sers tli rbenv versions lib ruby gems gems refinerycms core app views refinery admin make sortable html erb 36343'
actionview (5.1.6.1) lib/action_view/helpers/capture_helper.rb:39:in `block in capture'
actionview (5.1.6.1) lib/action_view/helpers/capture_helper.rb:203:in `with_output_buffer'
actionview (5.1.6.1) lib/action_view/helpers/capture_helper.rb:39:in `capture'
actionview (5.1.6.1) lib/action_view/helpers/capture_helper.rb:153:in `content_for'
refinerycms-core (4.0.3) app/views/refinery/admin/_make_sortable.html.erb:1:in _____sers tli rbenv versions lib ruby gems gems refinerycms core app views refinery admin make sortable html erb 3634:
actionview (5.1.6.1) lib/action_view/template.rb:157:in `block in render'
activesupport (5.1.6.1) lib/active_support/notifications.rb:168:in `instrument'
actionview (5.1.6.1) lib/action_view/template.rb:352:in `instrument render template'
actionview (5.1.6.1) lib/action_view/template.rb:155:in `render'
actionview (5.1.6.1) lib/action_view/renderers/partial_renderer.rb:342:in `block in render_partial'
actionview (5.1.6.1) lib/action_view/renderers/abstract_renderer.rb:42:in `block in instrument'
activesupport (5.1.6.1) lib/active_support/notifications.rb:166:in `block in instrument'
activesupport (5.1.6.1) lib/active_support/notifications/instrumenter.rb:21:in `instrument'
activesupport (5.1.6.1) lib/active_support/notifications.rb:166:in `instrument'
actionview (5.1.6.1) lib/action_view/renderers/abstract_renderer.rb:41:in `instrument'
actionview (5.1.6.1) lib/action_view/renderers/partial_renderer.rb:331:in `render_partial'
actionview (5.1.6.1) lib/action_view/renderers/partial_renderer.rb:310:in `render'
actionview (5.1.6.1) lib/action_view/renderers/renderer.rb:47:in `render_partial'
actionview (5.1.6.1) lib/action_view/helpers/rendering_helper.rb:35:in `render'
refinerycms-pages (4.0.3) app/views/refinery/admin/pages/index.html.erb:7:in _____sers tli rbenv versions lib ruby gems gems refinerycms pages app views refinery admin pages index html erb 35379:
actionview (5.1.6.1) lib/action_view/template.rb:157:in `block in render'
activesupport (5.1.6.1) lib/active_support/notifications.rb:168:in `instrument'
actionview (5.1.6.1) lib/action_view/template.rb:352:in `instrument render template'

actionview (5.1.6.1) lib/action_view/template.rb:155:in `render'
actionview (5.1.6.1) lib/action_view/renderer/template_renderer.rb:52:in `block (2 levels) in render_template'
actionview (5.1.6.1) lib/action_view/renderer/abstract_renderer.rb:42:in `block in instrument'
activesupport (5.1.6.1) lib/active_support/notifications.rb:166:in `block in instrument'
activesupport (5.1.6.1) lib/active_support/notifications/instrumenter.rb:21:in `instrument'
activesupport (5.1.6.1) lib/active_support/notifications.rb:166:in `instrument'
actionview (5.1.6.1) lib/action_view/renderer/abstract_renderer.rb:41:in `instrument'
actionview (5.1.6.1) lib/action_view/renderer/template_renderer.rb:51:in `block in render_template'
actionview (5.1.6.1) lib/action_view/renderer/template_renderer.rb:59:in `render_with_layout'
actionview (5.1.6.1) lib/action_view/renderer/template_renderer.rb:50:in `render_template'
actionview (5.1.6.1) lib/action_view/renderer/template_renderer.rb:14:in `render'
actionview (5.1.6.1) lib/action_view/renderer/renderer.rb:42:in `render_template'
actionview (5.1.6.1) lib/action_view/renderer/renderer.rb:23:in `render'
actionview (5.1.6.1) lib/action_view/rendering.rb:103:in `render_template'
actionpack (5.1.6.1) lib/action_controller/metal/streaming.rb:217:in `render_template'
actionview (5.1.6.1) lib/action_view/rendering.rb:83:in `render_to_body'
actionpack (5.1.6.1) lib/action_controller/metal/rendering.rb:52:in `render_to_body'
actionpack (5.1.6.1) lib/action_controller/metal/renderers.rb:141:in `render_to_body'
actionpack (5.1.6.1) lib/abstract_controller/rendering.rb:24:in `render'
actionpack (5.1.6.1) lib/action_controller/metal/rendering.rb:36:in `render'
actionpack (5.1.6.1) lib/action_controller/metal/instrumentation.rb:44:in `block (2 levels) in render'
activesupport (5.1.6.1) lib/active_support/core_ext/benchmark.rb:12:in `block in ms'
/Users/tli/.rbenv/versions/2.5.1/lib/ruby/2.5.0/benchmark.rb:308:in `realtime'
activesupport (5.1.6.1) lib/active_support/core_ext/benchmark.rb:12:in `ms'
actionpack (5.1.6.1) lib/action_controller/metal/instrumentation.rb:44:in `block in render'
actionpack (5.1.6.1) lib/action_controller/metal/instrumentation.rb:87:in `cleanup_view_runtime'
activerecord (5.1.6.1) lib/active_record/railties/controller_runtime.rb:29:in `cleanup_view_runtime'
actionpack (5.1.6.1) lib/action_controller/metal/instrumentation.rb:43:in `render'
refinerycms-pages (4.0.3) lib/refinery/pages/instance_methods.rb:21:in `render'
actionpack (5.1.6.1) lib/action_controller/metal/implicit_render.rb:33:in `default_render'
actionpack (5.1.6.1) lib/action_controller/metal/basic_implicit_render.rb:4:in `block in send_action'
actionpack (5.1.6.1) lib/action_controller/metal/basic_implicit_render.rb:4:in `tap'
actionpack (5.1.6.1) lib/action_controller/metal/basic_implicit_render.rb:4:in `send_action'
actionpack (5.1.6.1) lib/abstract_controller/base.rb:186:in `process_action'
actionpack (5.1.6.1) lib/action_controller/metal/rendering.rb:30:in `process_action'
actionpack (5.1.6.1) lib/abstract_controller/callbacks.rb:20:in `block in process_action'
activesupport (5.1.6.1) lib/active_support/callbacks.rb:131:in `run_callbacks'
actionpack (5.1.6.1) lib/abstract_controller/callbacks.rb:19:in `process_action'
actionpack (5.1.6.1) lib/action_controller/metal/rescue.rb:20:in `process_action'
actionpack (5.1.6.1) lib/action_controller/metal/instrumentation.rb:32:in `block in process_action'
activesupport (5.1.6.1) lib/active_support/notifications.rb:166:in `block in instrument'
activesupport (5.1.6.1) lib/active_support/notifications/instrumenter.rb:21:in `instrument'
activesupport (5.1.6.1) lib/active_support/notifications.rb:166:in `instrument'
actionpack (5.1.6.1) lib/action_controller/metal/instrumentation.rb:30:in `process_action'
actionpack (5.1.6.1) lib/action_controller/metal/params_wrapper.rb:252:in `process_action'
activerecord (5.1.6.1) lib/active_record/railties/controller_runtime.rb:22:in `process_action'
actionpack (5.1.6.1) lib/abstract_controller/base.rb:124:in `process'
actionview (5.1.6.1) lib/action_view/rendering.rb:30:in `process'
actionpack (5.1.6.1) lib/action_controller/metal.rb:189:in `dispatch'
actionpack (5.1.6.1) lib/action_controller/metal.rb:253:in `dispatch'
actionpack (5.1.6.1) lib/action_dispatch/routing/route_set.rb:49:in `dispatch'
actionpack (5.1.6.1) lib/action_dispatch/routing/route_set.rb:31:in `serve'
actionpack (5.1.6.1) lib/action_dispatch/journey/router.rb:50:in `block in serve'
actionpack (5.1.6.1) lib/action_dispatch/journey/router.rb:33:in `each'
actionpack (5.1.6.1) lib/action_dispatch/journey/router.rb:33:in `serve'
actionpack (5.1.6.1) lib/action_dispatch/routing/route_set.rb:844:in `call'
railties (5.1.6.1) lib/rails/engine.rb:522:in `call'
railties (5.1.6.1) lib/rails/railtie.rb:185:in `public_send'
railties (5.1.6.1) lib/rails/railtie.rb:185:in `method_missing'
actionpack (5.1.6.1) lib/action_dispatch/routing/mapper.rb:17:in `block in <class:Constraints>'
actionpack (5.1.6.1) lib/action_dispatch/routing/mapper.rb:46:in `serve'
actionpack (5.1.6.1) lib/action_dispatch/journey/router.rb:50:in `block in serve'
actionpack (5.1.6.1) lib/action_dispatch/journey/router.rb:33:in `each'
actionpack (5.1.6.1) lib/action_dispatch/journey/router.rb:33:in `serve'
actionpack (5.1.6.1) lib/action_dispatch/routing/route_set.rb:844:in `call'
dragonfly (1.2.0) lib/dragonfly/middleware.rb:14:in `call'
dragonfly (1.2.0) lib/dragonfly/middleware.rb:14:in `call'
warden (1.2.8) lib/warden/manager.rb:36:in `block in call'

[warden \(1.2.8\) lib/warden/manager.rb:34:in `catch'](#)
[warden \(1.2.8\) lib/warden/manager.rb:34:in `call'](#)
[rack \(2.0.6\) lib/rack/etag.rb:25:in `call'](#)
[rack \(2.0.6\) lib/rack/conditional_get.rb:25:in `call'](#)
[rack \(2.0.6\) lib/rack/head.rb:12:in `call'](#)
[rack \(2.0.6\) lib/rack/session/abstract/id.rb:232:in `context'](#)
[rack \(2.0.6\) lib/rack/session/abstract/id.rb:226:in `call'](#)
[actionpack \(5.1.6.1\) lib/action_dispatch/middleware/cookies.rb:613:in `call'](#)
[activerecord \(5.1.6.1\) lib/active_record/migration.rb:556:in `call'](#)
[actionpack \(5.1.6.1\) lib/action_dispatch/middleware/callbacks.rb:26:in `block in call'](#)
[activesupport \(5.1.6.1\) lib/active_support/callbacks.rb:97:in `run_callbacks'](#)
[actionpack \(5.1.6.1\) lib/action_dispatch/middleware/callbacks.rb:24:in `call'](#)
[actionpack \(5.1.6.1\) lib/action_dispatch/middleware/executor.rb:12:in `call'](#)
[actionpack \(5.1.6.1\) lib/action_dispatch/middleware/debug_exceptions.rb:59:in `call'](#)
[web-console \(3.7.0\) lib/web_console/middleware.rb:135:in `call_app'](#)
[web-console \(3.7.0\) lib/web_console/middleware.rb:30:in `block in call'](#)
[web-console \(3.7.0\) lib/web_console/middleware.rb:20:in `catch'](#)
[web-console \(3.7.0\) lib/web_console/middleware.rb:20:in `call'](#)
[actionpack \(5.1.6.1\) lib/action_dispatch/middleware/show_exceptions.rb:31:in `call'](#)
[railties \(5.1.6.1\) lib/rails/rack/logger.rb:36:in `call_app'](#)
[railties \(5.1.6.1\) lib/rails/rack/logger.rb:24:in `block in call'](#)
[activesupport \(5.1.6.1\) lib/active_support/tagged_logging.rb:69:in `block in tagged'](#)
[activesupport \(5.1.6.1\) lib/active_support/tagged_logging.rb:26:in `tagged'](#)
[activesupport \(5.1.6.1\) lib/active_support/tagged_logging.rb:69:in `tagged'](#)
[railties \(5.1.6.1\) lib/rails/rack/logger.rb:24:in `call'](#)
[sprockets-rails \(3.2.1\) lib/sprockets/rails/quiet_assets.rb:13:in `call'](#)
[actionpack \(5.1.6.1\) lib/action_dispatch/middleware/remote_ip.rb:79:in `call'](#)
[request_store \(1.4.1\) lib/request_store/middleware.rb:19:in `call'](#)
[actionpack \(5.1.6.1\) lib/action_dispatch/middleware/request_id.rb:25:in `call'](#)
[rack \(2.0.6\) lib/rack/method_override.rb:22:in `call'](#)
[rack \(2.0.6\) lib/rack/runtime.rb:22:in `call'](#)
[activesupport \(5.1.6.1\) lib/active_support/cache/strategy/local_cache_middleware.rb:27:in `call'](#)
[dragonfly \(1.2.0\) lib/dragonfly/cookie_monster.rb:9:in `call'](#)
[actionpack \(5.1.6.1\) lib/action_dispatch/middleware/executor.rb:12:in `call'](#)
[actionpack \(5.1.6.1\) lib/action_dispatch/middleware/static.rb:125:in `call'](#)
[rack \(2.0.6\) lib/rack/sendfile.rb:111:in `call'](#)
[railties \(5.1.6.1\) lib/rails/engine.rb:522:in `call'](#)
[puma \(3.12.0\) lib/puma/configuration.rb:225:in `call'](#)
[puma \(3.12.0\) lib/puma/server.rb:658:in `handle request'](#)
[puma \(3.12.0\) lib/puma/server.rb:472:in `process client'](#)
[puma \(3.12.0\) lib/puma/server.rb:332:in `block in run'](#)
[puma \(3.12.0\) lib/puma/thread_pool.rb:133:in `block in spawn thread'](#)

Request

Parameters:

```
{"locale"=>"en"}
```

[Toggle session dump](#)

[Toggle env dump](#)

Response

Headers:

None

